

November 2025

Press Release

Agricultural Wire Mesh Fencing

A Range for Every Application

First Fence launches a wide range of agricultural steel fencing for livestock and agricultural use









Six New Ranges | One Reputable Supplier

First Fence is proud to introduce the following range of agricultural wire netting products, each carefully developed to meet the highest standards of tensile strength, aperture accuracy, and overall finish. Designed with durability and reliability in mind, our netting solutions provide exceptional performance across a wide variety of agricultural applications, ensuring long-lasting protection and peace of mind for farmers, land managers, and rural property owners alike.

PastureGuard®

Manufactured with the First Fence Hinge Knot, the PastureGuard® range comes in light, medium, and heavy grades for general stock fencing.



StrainSure®

Manufactured using 1235–1390 N/mm² hightensile wire, StrainSure® is ideal for demanding fence lines that need to remain under constant tension.



AntlerGuard®

Manufactured using the First Fence Fixed X Knot, the AntlerGuard® range is designed to prevent large animals, including deer, from trespassing.



EquiMesh®

Manufactured using 1235–1390 N/mm² hightensile wire, EquiMesh® is ideal for equine areas where a large animal's weight must keep the fence intact.



AgriHex®

A lighter-grade galvanised hexagonal netting for rabbit, pheasant, chicken, and tree protection. Ideal for smaller animals needing less fencing strength.



StrainLine®

Mild steel and hightensile wire available in 25 kg rolls, providing strength to any agricultural fence line.







In Stock. On the Ground.

PastureGuard®

- ✓ PASTUREGUARD® LIGHT STOCK FENCE L5/60/15 50M ROLL
- ✓ PASTUREGUARD® LIGHT STOCK FENCE L8/80/15 50M ROLL
- ✓ PASTUREGUARD® LIGHT STOCK FENCE L10/120/15 50M ROLL
- ✓ PASTUREGUARD® MEDIUM STOCK FENCE C8/80/15 50M ROLL
- ✓ PASTUREGUARD® MEDIUM STOCK FENCE C8/80/22 50M ROLL
- ✓ PASTUREGUARD® MEDIUM STOCK FENCE C8/80/30 50M ROLL
- ✓ PASTUREGUARD® MEDIUM STOCK FENCE C6/90/30 50M ROLL
- ✓ PASTUREGUARD® MEDIUM STOCK FENCE C7/100/15 50M ROLL
- ✓ PASTUREGUARD® MEDIUM STOCK FENCE C10/120/15 50M ROLL
- ✓ PASTUREGUARD® HEAVY STOCK FENCE B8/80/15 50M ROLL
- ✓ PASTUREGUARD® HEAVY STOCK FENCE B8/80/30 50M ROLL

StrainSure®

- ✓ STRAINSURE® HIGH TENSILE STOCK FENCE LHT8/80/15 100M ROLL
- ✓ STRAINSURE® HIGH TENSILE STOCK FENCE HT5/53/15 100M ROLL
- ✓ STRAINSURE® HIGH TENSILE STOCK FENCE HT5/53/30 100M ROLL
- ✓ STRAINSURE® HIGH TENSILE STOCK FENCE HT8/80/15 100M ROLL
- ✓ STRAINSURE® HIGH TENSILE STOCK FENCE HT8/80/22 100M ROLL
- ✓ STRAINSURE® HIGH TENSILE STOCK FENCE HT8/80/30 100M ROLL

AntlerGuard®

- ✓ ANTLERGUARD® DEER STOCK FENCE LHT13/190/15 100M ROLL
- ✓ ANTLERGUARD® DEER STOCK FENCE HT13/190/15 100M ROLL

EquiMesh®

- ✓ EQUIMESH® HORSE STOCK FENCE HT8/80/8 50M ROLL
- ▼ EQUIMESH® HORSE STOCK FENCE HT10/107/8 50M ROLL
- ▼ EQUIMESH® HORSE STOCK FENCE HT11/127/8 50M ROLL

AgriHex®

- ✓ AGRIHEX® RABBIT NETTING 1050X31X19G (3'6") HDG 50M ROLL
- ✓ AGRIHEX® RABBIT NETTING 1050X31X18G (3'6") HDG 50M ROLL
- ✓ AGRIHEX® RABBIT NETTING 1200X31X19G (4'0") HDG 50M ROLL
- ✓ AGRIHEX® RABBIT NETTING 1200X31X18G (4'0") HDG 50M ROLL
- ✓ AGRIHEX® PHEASANT NETTING 1500X50X19G (5'0") HDG 50M ROLL
- ✓ AGRIHEX® PHEASANT NETTING 1800X40X19G (6'0") HDG 50M ROLL
- ✓ AGRIHEX® PHEASANT NETTING 1800X50X19G (6'0") HDG 50M ROLL
- ✓ AGRIHEX® CHICKEN NETTING 900X50X19G (3'0") HDG 50M ROLL
- ✓ AGRIHEX® CHICKEN NETTING 1200X50X19G (4'0") HDG 50M ROLL
- ✓ AGRIHEX® TREE GUARD NETTING 600X31X19G (2'0") HDG 50M ROLL
- ✓ One Inch Netting 600x25x20g (2'0") HDG 50M ROLL
- ✓ One Inch Netting 900x25x20g (3'0") HDG 50M ROLL
- ✓ One Inch Netting 1200x25x20g (4'0") HDG 50M ROLL
- ✓ One Inch Netting 1800x25x20g (6'0") HDG 50M ROLL

StrainLine®

- ✓ STRAINLINE® 2.00MM MILD STEEL PLAIN WIRE 25KG ROLL
- ✓ STRAINLINE® 4.00MM MILD STEEL PLAIN WIRE 25KG ROLL
- ✓ STRAINLINE® 2.50MM HIGH TENSILE PLAIN WIRE 25KG ROLL
- ✓ STRAINLINE® 3.15MM HIGH TENSILE PLAIN WIRE 25KG ROLL



Tensile Strengths:

 Top & Bottom:
 695-850 N/mm2

 Intermediate:
 695-850N/mm2

 Vertical:
 415-550 N/mm2

BS EN 10223 5:2012 (Manufacture) BS EN 10244 2:2023 (Galvanised)



Tensile Strengths:

 Top & Bottom:
 1235-1390 N/mm2

 Intermediate:
 1235-1390 N/mm2

 Vertical:
 695-850 N/mm2

BS EN 10223 5:2012 (Manufacture) BS EN 10244 2:2023 (Galvanised)



Tensile Strengths:

Top & Bottom: 1235-1390 N/mm2 Intermediate: 1235-1390 N/mm2 Vertical: 695-850 N/mm2

BS EN 10223 5:2012 (Manufacture) BS EN 10244 2:2023 (Galvanised)









For All Press Release Enquiries:

Toby Roberts-Davies Product Innovation Manager toby.roberts-davies@firstfence.co.uk

First Fence Ltd Kiln Way, Woodville, Swadlincote, Derbyshire DE11 8EA





