FirstFence®
HIRE & SALES

Light & Medium Duty Ground Covers

Specification Sheet

SPC-TRENCH-005A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Light & Medium Duty Ground Covers

Specification Sheet

SPC-TRENCH-005A

Versatile Ground Protection, Uncompromised Safety!

Our light and medium-duty ground covers deliver a superb combination of surface reinforcement and reliable accessibility, designed to provide safe, stable pathways for pedestrians and lightweight vehicles.

Constructed from environmentally friendly, 100% recycled materials like PVC and LDPE, this diverse range offers highly durable solutions featuring smart interlocking systems, anti-slip texturing, and natural drainage.

These covers eliminate trip hazards and protect muddy or uneven terrain while maintaining secure, rapid installation without the need for bolts or heavy lifting equipment. They serve as a resilient and reliable foundation for a wide range of dynamic environments, including busy road works, bustling festivals, construction walkways, and public car parks.

Key Features

- Eco-Friendly Construction
  (Made from recycled materials including LDPE and PVC)
- Rapid, Tool-Free Installation
  (Designed for quick deployment without heavy lifting equipment)
- Enhanced Safety & Visibility
  (Features interlocking systems, anti-slip surfaces and high-visibility colours)
- Environmental Integration & Drainage
  (Options like the EnduraGrid™ feature a porous design for natural drainage)
- Versatile Application
  (Engineered to support both pedestrians & lightweight vehicles)



Suitable For

- Events & Festivals
- Construction & Live Work Sites
- Pedestrian Crossings & Walkways
- Car Parks & Fields
- Facilities Management & Landscaping

Guide to Choosing Your Ground Covers

IDENTIFY THE PRIMARY TRAFFIC TYPE

Determine whether the surface needs to support pedestrian footfall, lightweight vehicles, or both. If you are creating a temporary pedestrian crossing or walkway, a specialised pedestrian option like ClearPath Mats is ideal. For car parks or areas requiring vehicle support, a structurally reinforcing system like EnduraGrid™ is required.

ASSESS TERRAIN & LOCAL CONDITIONS

Assess the ground conditions where the cover will be placed. If you need access over deep mud or uneven grass, a lightweight solution like LiteTrack is best. If you want the installation to blend in naturally or require water drainage, choose a porous system like EnduraGrid™ that allows grass to grow through it.

SAFETY & VISIBILITY REQUIREMENTS

Consider the specific hazards of your site. If the area has low lighting or crosses active vehicle routes, opt for high-visibility solutions like the black and white ClearPath Mats. For sites with a high risk of trips and falls, prioritise a product with a smart interlocking system, such as FastCover, to ensure a seamless, joint-free surface.

INSTALLATION SPEED & PROJECT DURATION

Evaluate how quickly the system needs to be deployed and whether it is a highly temporary setup. For fast-moving events or rapid-response road works, choose self-weighted or quick-interlocking options like ClearPath or FastCover, which can be installed rapidly by hand without heavy lifting equipment or securing bolts.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Light & Medium Duty Ground Covers

Specification Sheet

SPC-TRENCH-005A

Technical Specification

PRODUCT	WIDTH	LENGTH	THICKNESS	WEIGHT	MATERIAL	COLOUR
FastCover 22mm	1200mm	800mm	22mm	20kg	Recycled PVC	Black
FastCover PLUS	1200mm	600mm	22mm	14.5kg	Recycled PVC	Black
LiteTrack Ground Protection Mat	1200mm	2400mm	12mm	32kg	100% Recycled LDPE	Grey
Oxford ClearPath Mat	1200mm	600mm	22mm	20kg	Recycled PVC	Black or White
EnduraGrid™ Plastic Gravel Grid	500mm	500mm	65mm	2kg	Recycled Plastic	Black

FastCover 22mm

- Robust 22mm Profile: The FastCover mats feature a sturdy 22mm thickness that delivers exceptional resilience against impacts and heavy footfall, providing a stable surface capable of supporting up to 10 tonnes.
- Safe Transition Ramps: The purpose-built Overlapping (Over edge) and Underlapping (Under edge) ramps attach to the perimeter of the mats to create a smooth, gradual transition down to ground level, dramatically reducing trip hazards and enabling easy access for wheelchairs and strollers.
- Tool-Free Interlocking Design: The mats and edges utilise an intuitive overlapping and underlapping lip system that locks together securely by hand. This allows for rapid, one-person installation without the need for tools, bolts, or heavy machinery.
- Eco-Friendly and Reusable: Both the 22mm mats and the edge components are manufactured from heavy-duty, 100% recycled PVC. This provides a highly sustainable, anti-slip solution that can be repeatedly reconfigured across different events, warehouses, and construction sites.





Under Edge



Over Edge

Available to hire

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Light & Medium Duty Ground Covers

Specification Sheet

SPC-TRENCH-005A

FastCover PLUS with Interlocks

- Lightweight 22mm Profile: The FastCover Plus mats maintain a sturdy 22mm thickness but weigh just 14.5kg for easy one-person handling, while still providing a highly stable surface capable of supporting up to 10 tonnes on a firm base.
- Safe Transition Ramps: Just like the standard model, the Plus system accommodates purpose-built overlapping and underlapping edge ramps to create a smooth, gradual transition to ground level. This safely eliminates trip hazards and ensures easy, reliable access for wheelchairs and strollers.
- Upgraded Lug Interlocking Design: The Plus system features an advanced connection method using built-in interlocking lugs that securely slot into integrated hand holes. This allows for rapid, tool-free installation by a single person, giving you the flexibility to lay them in straight runs or extra-strong, staggered brick-bond patterns.
- Eco-Friendly and Versatile: Manufactured from 100% recycled PVC, the FastCover Plus provides a highly sustainable, reusable solution.



The underside has a honeycomb texture

Light Weight

LiteTrack Ground Protection Mat

- 100% Recycled LDPE Construction: Manufactured from fully recycled Low-Density Polyethylene, offering a highly sustainable and environmentally friendly solution that reduces your carbon footprint while delivering reliable temporary ground protection.
- Ultra-Lightweight and Cost-Effective: Designed as a highly manoeuvrable, low-cost alternative to heavy-duty matting, allowing for rapid, effortless deployment and relocation by hand without the need for specialised lifting equipment.
- Mud and Turf Protection: Provides a reliable, barrier over challenging terrains, ensuring safe, stable pedestrian access across muddy sites, uneven ground, and sensitive grass without causing severe turf churning or damage.
- Versatile and Reusable: An extremely durable and reusable system that can be easily picked up and redeployed, making it the ideal choice for creating instant temporary walkways and pedestrian pathways for events, construction, and landscaping projects.



LiteTrack covers have a checked pattern on one side and are smooth on the other



Reversible Design

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA

01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES


Light & Medium Duty Ground Covers

Specification Sheet

SPC-TRENCH-005A

Oxford ClearPath Mat

- High-Visibility Design: Available in distinctive black and white, these mats are specifically engineered to create highly visible temporary or permanent pedestrian walkways and zebra crossings to maximise safety on site.
- Self-Weighted Stability: Designed as a robust, self-weighted product that simply needs to be placed onto level ground. In the vast majority of applications, it requires no securing bolts, saving valuable time during setup.
- Tool-Free, Manual Deployment: Despite their exceptional stability, the mats can be easily installed by hand. This allows for rapid deployment by a standard work crew and completely eliminates the need for heavy lifting equipment or specialised machinery.
- Indoor and Outdoor Versatility: Engineered to withstand the dynamic demands of both indoor facilities management and rugged outdoor live work sites, providing instant, safe pedestrian routing for construction projects, events, and public spaces.




Available in Black and White

Self Weighted

EnduraGrid™ Plastic Gravel Grid

- Heavy-Duty Ground Reinforcement: Designed as a robust cellular paving system that significantly reinforces the ground, providing a highly stable and durable surface capable of supporting vehicles and heavy footfall in car parks, fields, and patios.
- Natural Drainage System: Features a highly porous, open-cell structure that promotes excellent natural water drainage, preventing surface water build-up and water-logging while keeping your pathways and parking areas clear and safe.
- Grass and Gravel Integration: The versatile grid design can be filled with gravel for a clean, structural finish, or seeded with soil to allow grass to grow naturally through the cells, effectively disguising the plastic for a seamless, natural landscape.
- Anti-Slip Surface: Engineered with a specialised anti-slip surface texture that provides enhanced grip for both pedestrians and vehicle tires, ensuring secure access and minimising the risk of slips in all weather conditions.



EnduraGrid™ Car Park Line Marker

Car Park Solution

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA

01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk