



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Engineered Site Access, Uncompromised Perimeter Security!

Our Temporary Fencing Gates deliver robust, adaptable entry solutions engineered to streamline site logistics, control crowd flow, and secure sensitive zones across construction sites and outdoor events.

Designed for perfect integration into standard round-top, centre-bar, or heavy-duty panel perimeters, these heavy-duty galvanised steel systems provide quick, flexible installation using standard feet, couplers, and specialised hinge hardware.

From key-coded digital pedestrian access to 7-metre wide double-leaf vehicle entry points, our reusable gates deliver superior structural integrity, ease of movement, and dependable access management tailored to the dynamic demands of high-traffic operations.

Key Features

- ⌚ Versatile Access Options
(Entry points for both foot and vehicle traffic)
- ⌚ Perfect Integration
(Designed for quick set up using temporary fencing accessories)
- ⌚ High-Security Latching Mechanisms
(Available with sliding latch bolts for effective access control)
- ⌚ Durable Steel Construction
(Galvanised for weather resistance)
- ⌚ Portability & Customisation
(Easily repositioned as site layouts evolve)

Suitable For

- ⌚ Construction Sites
- ⌚ Public Events & Festivals
- ⌚ Roadworks & Infrastructure Projects
- ⌚ Emergency & Incident Response
- ⌚ Commercial & Maintenance Zones



Product Specifications

PRODUCT	HEIGHT	WIDTH	FRAME PROFILE	MATERIAL	WEIGHT	LOCKING STYLE
Pedestrian Gate	2000mm	1151mm	38.1mm	Pre-Galvanised Steel	14.4kg	Sliding Latch Bolt (padlockable)
Vehicle Gate (4.2m)	2000mm	4261mm	38.1mm	Pre-Galvanised Steel	32kg	Sliding Latch Bolt (padlockable)
Vehicle Gate (7m)	2000mm	6940mm	38.1mm	Pre-Galvanised Steel	43.7kg	Sliding Latch Bolt (padlockable)
Digi Lock Pedestrian Gate	2080mm	1282mm	38mm	Pre-Galvanised Steel	72kg	Mechanical Digital Keypad Lock



Call our Expert Sales Team for more information.

Choosing the Right Type of Temporary Fencing Gates


Selecting the appropriate Temporary Fencing Gates depends on your site's specific security needs, terrain, duration of use, and environmental conditions. Below is a breakdown of four popular options to help you choose the best fit for your project:

Pedestrian Gate for Temporary Fencing

Measuring 2.0m high x 1.15m wide, this pedestrian gate is compatible with square and round top temporary fencing systems.

Each gate comes with a castor wheel for supported opening and closing, an additional post for stability, and a sliding bolt for secure closure (this can be padlocked).

Best Used For: Controlled access for people entering the fenced area.




Vehicle Gate for Temporary Fencing (4.2m)

This double leaf gate easily accommodates most small/medium-sized vehicles, promoting efficient site access.

This comes with 2 castor wheels for effortless opening and closure. A built-in sliding latch keeps the gate firmly shut when not in use. Add a heavy-duty padlock for extra security.

Best Used For: Access areas for medium-sized vehicles and effectively managing crowds and directing traffic flow.




Vehicle Gate for Temporary Fencing (7.0m)

This ultra-wide double leaf gate is perfect for wider span access points for very large vehicles onto construction or event sites.

This gate comes with 2 castor wheels for perfect opening support. The sliding latch keeps the gate shut. Add a heavy-duty padlock for extra piece of mind.

Best Used For: Events, construction sites and roadworks. Enables easy access for very large site vehicles.



Digi Lock Pedestrian Gate

This gate is ideal for construction sites and event venues that need to restrict access to authorised personnel.

The digital lock features ensures only those with the code can enter, while the bright red colour ensures high visibility, making it clear where the entrance/exit points are.

Best Used For: Ideal for a range of security applications, whether you need to secure a construction site or outdoor event, it can be integrated into an existing set up.



Call our Expert Sales Team for more information.

Essential Additions:



Coupler

Anti-Tamper or Standard, for joining multiple panels securely.



Spanner

Anti-Tamper or Standard, for tightening/loosening bolts.



Coupler for In-Ground Scaffold Pole to Temp Fencing

Designed to attach upright scaffolding poles to Temporary Fencing Gates panels, and connect two panels together, all at the same



Stabilising Feet

Plastic, Thermoplastic and concrete options available.



Stabilising Bar & Block Tray

Use with ballast block for extra security in windy conditions. Block available separately.



Stabilising Bar & 2 Ground Pins

This combo secures Temporary Fencing Gates panels to soft grass




Stabilising Pin

Secure supporting bars or back stays onto softer ground.



Stabilising Bar/Foot Combo

Stabilising Bar comes with Hi Vis foot.



Temporary Fencing Gates

Provide a safe and secure entry point for pedestrians or vehicles.



Big Foot System

Full system of Spigot Base, Bar and Block Tray. Components available individually.



Windbreaker System

Full system of Stabiliser Bar, Block Tray, Bottom Tube & Foot. Components available individually.



Zero Trip System

Full system of Stabilising Base, Cranked Stabiliser Bar. Feet available separately.



Ballast Blocks

Durablock Ballast Block 50kg, Rota Block Barriers and Mini Barriers.



Debris Netting

Standard and Flame Retardant Debris Netting.



Anti-Lift Device

This prevents fencing panels being removed or lifted by unauthorised personnel.

Temporary Works Design

A Temporary Works Design (TWD) is an engineering plan that outlines how Temporary Fencing Gates, hoarding, and gates will safely support construction activities until the work is complete.

Our engineers are available to survey your site and ensure your temporary system is up to BS 5975 safety standards. Simply add your product to the basket and select the option to include a TWD. Please note: One TWD is required for each product type. This is a paid-for add-on service.



[CLICK HERE](#)



Call our Expert Sales Team for more information.