



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Certified Resilience, Uncompromising Defence!

Elevate your perimeter security and achieve the perfect synergy of physical deterrence and absolute peace of mind with our Combi Security Palisade Fencing. Designed for the developer or security professional who demands a proactive, impenetrable front-line, this **LPS 1175 A1 (SR1) rated** system redefines standard fencing—utilising an innovative V-slot design and recessed bolting that lock the pales directly into the centre of the rails, making forced removal virtually impossible.

Whether you are safeguarding a high-value industrial complex, a critical utility hub, or a commercial asset, our rigorously tested, galvanised steel profiles are built to transform standard boundaries into defiant, high-security bastions.

Key Features

- ☑ **Anti-Tamper V-Slot Design**
(The pales slot directly into the centre of the rails and used recessed bolts)
- ☑ **LPS 1175 A1 (SR1) Certification**
(Tested to conform to Issue 8 regulations)
- ☑ **Galvanised Steel Construction**
(Every bay has a zinc coating for resilience to rust and weathering)
- ☑ **Choice of Perimeter Height**
(Available in heights from 1.8m up to 3.0m for precise physical deterrence)
- ☑ **Custom Powder Coating Options**
(Can be finished in a wide range of RAL colours)

Suitable For

- ☑ Critical Utility & Infrastructure Hubs
- ☑ High-Value Industrial Complexes
- ☑ Logistics & Distribution Centres
- ☑ Data Centres & Secure IT Facilities
- ☑ Secure Vehicle Compounds



102mm x 44mm RSJ posts



Vertical pales pass through the horizontal rails and are held in place with a counter-sunk bolt in the front face of the rail



Call our Expert Sales Team for more information.

Combi Palisade Fencing System Specifications

HEIGHT	BAY WIDTH	MATERIAL	FINISH	POST LENGTH	DIG IN DEPTH	PALE PROFILE	HEAD STYLE
1.8m (Installed)	2750mm (Post centre to post centre)	Galvanised Steel	Galvanised/ Polyester Powder Coated	1800mm (Bolt Down) 2325mm (Dig In)	525mm	D Section Pale	Single Point
2.0m (Installed)	2750mm (Post centre to post centre)	Galvanised Steel	Galvanised/ Polyester Powder Coated	2000mm (Bolt Down) 2625mm (Dig In)	625mm	D Section Pale	Single Point
2.1m (Installed)	2750mm (Post centre to post centre)	Galvanised Steel	Galvanised/ Polyester Powder Coated	2100mm (Bolt Down) 2725mm (Dig In)	625mm	D Section Pale	Single Point
2.4m (Installed)	2750mm (Post centre to post centre)	Galvanised Steel	Galvanised/ Polyester Powder Coated	2400mm (Bolt Down) 3125mm (Dig In)	725mm	D Section Pale	Single Point
3.0m (Installed)	2750mm (Post centre to post centre)	Galvanised Steel	Galvanised/ Polyester Powder Coated	3000mm (Bolt Down) 3925mm (Dig In)	925mm	D Section Pale	Single Point

Good to know:

Terrain Adaptability: Panels are designed to 'rake' allowing installation on sloping ground inclines of up to 30°.

This palisade range comes as components and requires on-site assembly.

Remember to add an end post to finish your fencing run!

Combi Palisade Kit Contents

RSJ Post (102mm x 44mm)	1
Rails	2
Pales	17
Fixings (kit)	1

Explore Other Products

When safeguarding your premises is non-negotiable, you need a proven solution. Take a look at our extensive LPS 1175 range which features both SR1 and SR2 rated products.

ProFence® SR1 (A1) High-Security Mesh Fencing & Gates

Where visibility and a less imposing appearance are required, ProFence® mesh is the perfect solution. Available in both 868 twin mesh & 358 prison mesh

EnviroProtect® SR1 (A1) High-Security Railings & Gates

EnviroProtect® blends certified security with architectural elegance. A robust vertical bar railing format with an internal 358 mesh layer

AcoustiGuard® SR1 (A1) Timber Acoustic Fencing & Gates

An innovative solution for the challenges of security and noise pollution. AcoustiGuard® combines intruder-resistance with sound-dampening timber

PaliFence® SR1 (A1) Palisade Fencing & Gates

PaliFence® is a high-security palisade system with a pale that interlocks with the rails for superior strength. Also available as cantilever or manual gate

ProFence® 2X SR2 (B3) Mesh Fencing & Gates

This features a unique double-skinned mesh design that provides exceptional rigidity and resistance to both cutting and penetration attacks



Call our Expert Sales Team for more information.