



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Uncompromising Strength, Formidable Security!

Our Palisade Gate Post Systems offer an exceptionally strong, high-security, and dependable solution for heavy-duty perimeter entrances. Designed for absolute structural integrity using galvanised steel, our line includes both Dig-In and Bolt-Down post options. Keep it simple with a galvanised product or add extra resilience and colour with a powder coated finish.

This specification covers our palisade gate post kits, available in standardised heights of 1.8m, 2.0m, 2.1m, 2.4m, and 3.0m designed to match First Fence palisade gates.

Key Features

- ⊗ **Heavy Duty Strength**
(Steel box sections designed to bear the load of moving gate leaves)
- ⊗ **Dual-Layer Corrosion Protection**
(Galvanised with optional powder coating for exceptional weather resistance)
- ⊗ **Versatile Ground Anchoring**
(Available in Dig-In and Bolt-Down configurations)
- ⊗ **Comprehensive Height Range**
(Supplied in five standardised industry heights to match palisade gates)
- ⊗ **Dual-Function Format**
(Available as hinge posts or catch receiver posts)

Suitable For

- ⊗ Industrial Estates & Logistics Hubs
- ⊗ Critical Infrastructure & Utility Sites
- ⊗ Commercial & Retail Perimeters
- ⊗ Transport Links & Depots
- ⊗ Educational & Civic Facilities



Choose Your Style

Hinge Gate Post

The hinge gate post is a key component of our Palisade Gate Systems providing strong and stable support for your gate leaf.

Constructed from galvanised steel, this post is built for long-lasting outdoor performance. A durable polyester powder-coated finish provides a clean, professional look while enhancing resistance to scratches, weathering and vandalism.

Suitable for both hard-ground (bolt-down) and soft-ground (dig-in) installation, the post offers reliable support and stability for your gate system.

Post caps are available separately.



Catch/Receiver Post

The receiver (catch) post is an essential component of our gate systems, providing a strong, secure closing point for reliable operation.

Manufactured from galvanised steel and finished with a durable polyester powder coating in your chosen colour, this post is built to withstand demanding outdoor environments.

Green and Black are our standard colour options, both designed to complement the matching gate leaf. For projects requiring a bespoke finish, the post is also available in a full range of RAL colours.

Post Caps available separately.

Note: These posts are designed to work with First Fence Palisade gates only.



Call our Expert Sales Team for more information.

HINGE POST SPECIFICATIONS

POST HEIGHT	POST LENGTH (BD)	POST LENGTH (Dig) 80 & 100mm Box Sections	POST LENGTH (Dig) 120mm+ Box Sections	DIG IN DEPTH Standard/Heavier Duty
1.8m	1800mm	2500mm	2800mm	700mm/1000mm
2.0m	2000mm	2700mm	3000mm	700mm/1000mm
2.1m	2100mm	2800mm	3100mm	700mm/1000mm
2.4m	2400mm	3100mm	3400mm	700mm/1000mm
3.0m	3000mm	3700mm	4000mm	700mm/1000mm

Note: BD = Bolt Down

Material/Finish: Galvanised Steel (BS EN ISO 1461)/PPC (All variants)

Fixing Types: Available as Bolt Down (BD) or Dig In

Standard Box Sections: 80x80, 100x100mm

Heavier Duty Box Sections: 120x120, 150x150, 200x200mm

HINGE POST SPECIFICATIONS

POST HEIGHT	POST LENGTH (BD)	POST LENGTH (Dig)	DIG IN DEPTH
1.8m	1800mm	2500mm	700mm
2.0m	2000mm	2700mm	700mm
2.1m	2100mm	2800mm	700mm
2.4m	2400mm	3100mm	700mm
3.0m	3000mm	3700mm	700mm

Note: BD = Bolt Down

Material/Finish: Galvanised Steel (BS EN ISO 1461)/PPC (All variants)

Fixing Types: Available as Bolt Down (BD) or Dig In

Standard Box Sections: 80x80, 100x100mm

Often Purchased With:

- Matching Palisade Gates
- Post Mix
- M16 Ground Anchors / Resin
- PPC Touch-up paint aerosol
- M16 Quick Install Resin Kit
- Post Cap

Take a look at our
matching Palisade
Gates & Accessories!

[CLICK HERE](#)



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk