



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Cantilever Gate Meeting Points for Precision Support

Meeting points—commonly referred to as gate cups, shoes, catchers, or end stops—are vital components of any cantilever gate system. Designed for mounting on posts or walls, they relieve stress on the cantilever bearings and carriages by supporting the weight of the gate when fully open or closed. Additionally, meeting points deliver essential structural stability and protect the entire mechanism against high wind loads. First Fence offers a comprehensive range of cantilever meeting points across our Mini, Medium, H900, and Magnum Series, available both individually and within complete hardware kits. Gate travel stops are also available in bolt-down and concrete-in format.

Key Features

- ☑ **Load-Relieving Support**
(The lead-in ramp captures the end wheel of the gate as it closes, preventing sagging)
- ☑ **Impact Absorbing Rubber Buffer**
(Integrated rubber stops absorb closure energy & reduce operational noise)
- ☑ **High-Wind & Lateral Stabilisation**
(Deep channel side flanges lock the gate profile firmly in place when closed)
- ☑ **Corrosion-Resistant Heavy-Gauge Construction**
(Zinc-galvanised finish to withstand harsh outdoor weathering)
- ☑ **Adjustable Mounting Slots**
(Slotted post/wall fixing holes allow precise vertical/horizontal adjustments)

Suitable For

- ☑ Industrial Parks & Distribution Hubs
- ☑ High-Snowfall & Mud-Prone Regions
- ☑ Sloped or Uneven Driveways
- ☑ High-Security & Commercial Facilities
- ☑ Residential & Gated Communities



Technical Specifications

Mini Meeting Point for Cantilever Gates - 50B

Designed to be mounted on a post or wall at the ends of the gates.

Compatible with the Mini Support Wheel, Track for Mini Cantilever Systems, Mini 8-Wheeled Cantilever Gate Carriage and Mini Cantilever Gate Kit.




Dimensions 135x85x87mm
Material Yellow Galvanised Steel
Capacity: 450kg gate
Gate Opening: Up to 4.0m

Medium Meeting Point for Cantilever Gates - 50P

Designed to be mounted on a post or wall at the ends of the gates.

Compatible with the Medium Support Wheel, Track for Medium Cantilever Systems, Medium 8-Wheeled Cantilever Gate Carriage and Medium Cantilever Gate Kit.



Dimensions 161x112x90mm
Material Yellow Galvanised Steel
Capacity: 600kg gate
Gate Opening: Up to 8.0m



Call our Expert Sales Team for more information.

Meeting Point for H900 Cantilever Gates - 50H

Designed to be mounted on a post or wall at the ends of the gates.

Compatible with the H900 Support Wheel, Track for H900 Cantilever Systems, H900 8-Wheeled Cantilever Gate Carriage and H900 Cantilever Gate Kit.




Dimensions 165x95x120mm
Material Yellow Galvanised Steel
Capacity: 900kg gate
Gate Opening: Up to 10.0m

Magnum Meeting Point for Cantilever Gates - 50G

Designed to be mounted on a post or wall at the ends of the gates.

Compatible with the Magnum Support Wheel, Track for Magnum Cantilever Systems, Magnum 8-Wheeled Cantilever Gate Carriage and Magnum Cantilever Gate Kit.



Dimensions 223x165x90mm
Material Yellow Galvanised Steel
Capacity: 1200kg gate
Gate Opening: Up to 16.0m

Top Adjustable Meeting Point with Rollers - 50RP

Top adjustable meeting point with removable nylon rollers.

Post mounted to receiving end of the gate in the closed position. Holds the gate securely when closed, preventing rattling or swaying during high winds.


This can be adjusted between 40mm and 80mm.



Dimensions 1124mm x 90mm
Material Yellow Galvanised Steel
Rollers 40mm Diameter

Bolt Down Gate Travel Stop for 2 Leaf Gates - F105BG

An essential feature for swing gates, designed to stop 2-leaf gates by creating an in-ground meeting point.



Dimensions 157x130x40mm
Material Yellow Galvanised Steel

Concrete-In Gate Travel Stop - F105

A concrete-in version of the gate travel stop, designed to act as a meeting point for double leaf gates, preventing the leaves from travelling too far.



Dimensions 92x100x77mm
Material Yellow Galvanised Steel



Call our Expert Sales Team for more information.