FirstFence®
HIRE & SALES

Farm & Field Gates

Specification Sheet

SPC-FARMGATE-001A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Farm & Field Gates

Specification Sheet

SPC-FARMGATE-001A

Secure Agricultural Entrances, Durable Rural Access Solutions

Our Galvanised Farm and Field Gates combine a sturdy, versatile design with rugged, practical performance for farms, livestock enclosures, and rural properties. Engineered from robust steel, they feature a high-quality galvanised finish to protect against rust, weathering, and corrosion.

Available in a choice of sizes from 3ft to 16ft, and available as a leaf-only or gate kit, these low-maintenance gates suit pedestrian walkways, wide driveways, and expansive pastures. Designed to withstand tough exposed conditions and the heavy pressure of livestock or machinery, they provide a reliable, long-lasting entrance for everyday countryside use.

Key Features

- Versatile Width Range
  (Available in 1ft increments from 3ft pedestrian to broad 16ft barriers)
- Sturdy Design
  (Designed to endure tough rural environments)
- Weather Resistance
  (Made from steel with a galvanised coating for a durable rust barrier)
- Easy Installation
  (A user-friendly design available as single leaf or full kit options)
- Low Maintenance
  (Requires minimal ongoing upkeep to maintain performance)

Suitable For

- Livestock Enclosures & Pastures
- Agricultural Entrances & Driveways
- Rural Properties & Estates
- Equestrian Facilities
- Residential Gardens



Images for illustration purposes only

Technical Specifications - 7-Rail Gate Leaf Only

Product:	7-Rail Galvanised Farm Gate Leaf
Material:	Galvanised Steel
Height:	1145mm
Gate Hanging Side:	Right or Left-Hand
Stile Size: Hanging:	50x50mm | Catch: 50x25mm
Steel Tubing:	40mm and 30mm

Available Leaf Widths:

3.0ft (915mm)	10.0ft (3050mm)
4.0ft (1220mm)	11.0ft (3350mm)
5.0ft (1525mm)	12.0ft (3660mm)
6.0ft (1830mm)	13.0ft (3965mm)
7.0ft (2135mm)	14.0ft (4270mm)
8.0ft (2440mm)	15.0ft (4575mm)
9.0ft (2745mm)	16.0ft (4880mm)

The 7-Rail gate leaf has tubular rails running horizontally across the width.

These rails are spaced closely at the lower leaf section to prevent smaller livestock from escaping.

This leaf is compatible with First Fence spring bolt kits, hanging and slotted catch posts, adjustable gate eyes and gate wall plates.



Also available as a kit

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Farm & Field Gates

Specification Sheet

SPC-FARMGATE-001A

Technical Specifications - 7-Rail Gate Kit


Product:	7-Rail Galvanised Farm Gate Kit
Material:	Galvanised Steel
Height:	1145mm
Gate Hanging Side:	Right or Left-Hand
Stile Size:	Hanging: 50x50mm | Catch: 50x25mm
Steel Tubing:	40mm and 30mm
Post Dimensions:	114.3mm Ø x 2000mm
Dig In Depth:	Minimum 600mm

Available Widths (Access)

3.0ft (915mm)	10.0ft (3050mm)
4.0ft (1220mm)	11.0ft (3350mm)
5.0ft (1525mm)	12.0ft (3660mm)
6.0ft (1830mm)	13.0ft (3965mm)
7.0ft (2135mm)	14.0ft (4270mm)
8.0ft (2440mm)	15.0ft (4575mm)
9.0ft (2745mm)	16.0ft (4880mm)

Kit Weights

3.0ft:	35.5kg	10.0ft:	61.5kg
4.0ft:	38.7kg	11.0ft:	64.7kg
5.0ft:	43.6kg	12.0ft:	69.6kg
6.0ft:	46.8kg	13.0ft:	72.8kg
7.0ft:	50.1kg	14.0ft:	76.1kg
8.0ft:	55.0kg	15.0ft:	79.3kg
9.0ft:	58.2kg	16.0ft:	82.6kg



Kit Contents

7-Rail Gate Leaf:	1
Hanging Post:	1
Slotted Post (Catch):	1
Adjustable Gate Eye:	2
Spring Bolt Kit:	1
Black Ribbed Insert (50x50mm):	1
Black Ribbed Insert (50x25mm):	1

This gate kit is a dig-in only system

Accessories (Gate Kits come with Leaf, Posts, Adjustable Gate Eyes, Spring Bolt Kit and Ribbed Inserts)

SPRING BOLT KIT



Includes a Gate Slider Latch Bar, Spring, M20 Flat Washer and Tension Pin.

Does not require bolting on to the gate. Individual components supplied loose ready for fitting.

HANGING POST



Dig In post for farm gates.
Actual length: 2000mm
Diameter: 114.3mm (4.5")
Weight: 9.3kg

SLOTTED POST



Dig In post for farm gates.
Actual length: 2000mm
Diameter: 114.3mm (4.5")
Weight: 8.4kg

ADJUSTABLE GATE EYE



150mm Adjustable Gate Eye. Made from galvanised steel.

This works with our Farm, Mesh and Palisade Gates & accompanying posts.

FARM GATE WALL PLATE



Ideal as an alternative to traditional post mounting. Fixes directly to stone or brick pillar. Height 1.2m, Weight 16.32kg.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Farm & Field Gates

Specification Sheet

SPC-FARMGATE-001A

Kissing Gates

Instantly recognizable across the rural landscape, Kissing Gates offer a charming yet highly practical solution for pedestrian access.

Designed to swing within an enclosure without ever opening fully, they allow walkers to pass through with ease while creating a foolproof barrier for grazing livestock.


The gate leaf simply "kisses" the framework on either side rather than swinging open, providing the clever mechanism that gives this traditional gate its name.

Pedestrian Kissing Gate Specification

Material:	Galvanised Steel
Installed Height:	1200mm
Height (Total):	2000mm (800mm dig in)
Length in Fence Line:	1850mm
Width Across Hoops:	1400mm

Mobility Kissing Gate Specification

Material:	Galvanised Steel
Installed Height:	1200mm
Height (Total):	2000mm (800mm dig in)
Length in Fence Line:	2400mm
Width Across Hoops:	1850mm



The Mobility Kissing Gate is the larger of the two and should allow some pushchair and wheelchair/mobility vehicle user access; please check before using.



Key Advantages & Considerations

Space-Saving Design: Manufactured from durable, weather-resistant galvanised steel, their compact footprint requires significantly less operating space than a standard swinging leaf gate.

Safer Pedestrian Routing: They serve as an excellent upgrade to traditional stiles, eliminating the climbing hazards and slip risks associated with wet, muddy weather.

Reliable Livestock Security: The restricted swing arc guarantees that the gate cannot be accidentally left wide open, ensuring valuable stock remains safely enclosed.

Siting & Accessibility: While ideal for standard footpaths and smaller boundaries, the enclosed design inherently restricts passage size. When installing on public rights of way or bridleways, evaluate if a larger format or a dedicated mobility-friendly gate is necessary to accommodate pushchairs, wheelchairs, or horses.



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk