FirstFence®
HIRE & SALES

Kerb Covers and Ramps

Specification Sheet

SPC-TRENCH-004A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Kerb Covers and Ramps

Specification Sheet

SPC-TRENCH-004A

Maximum Impact Protection, Uncompromised Accessibility!

Our Kerb Covers deliver a superb combination of structural resilience and extreme load-bearing capacity, designed to provide safe, accessible pathways for pedestrians, cyclists, and vehicles.

Constructed from PVC and available with an advanced anti-slip surface in striking yellow or black, these units offer a highly durable solution that prevents costly kerb damage and eliminates slip hazards while maintaining secure, unbolted access for both mobility scooters and site equipment. They serve as a resilient and reliable bridging point for a wide range of demanding environments, including busy housing developments, civil construction sites, and public urban areas.

Offered in a striking yellow colour to minimise the danger of slips or falls, kerb ramps provide easy lower kerb access for wheelchairs and pushchairs, featuring a bolt-free, high weight capacity that makes them ideal for mobility scooters.

Key Features

- High Durability & Impact Resistance
  (Heavy-duty materials to absorb collision forces & withstand traffic & weathering)
- Accessibility & High Load Capacity
  (Provides easy access for wheelchairs, pushchairs & mobility scooters)
- Enhanced Safety & Anti-Slip Surfaces
  (Features anti-skid textures and high-visibility colours)
- Eco-Friendly Construction
  (Made from recycled and reusable materials)
- Modular Design & Customisation
  (Available in versatile profiles and modular ramps to fit diverse layouts)



Suitable For

- Housing Developments & Construction Sites
- Utility Works & Excavations
- Urban Accessibility Upgrades
- Roadworks & Highway Maintenance
- Pedestrian & Cycle Pathway Integration

Guide to Choosing Your Kerb Covers & Ramps

ASSESS YOUR SITE LAYOUT AND SHAPE

Determine the physical layout of your kerbs and pavements.

Measure the lengths of straight paths to utilise the larger 900mm sections, and identify any corners or curves that will require the specialised 400mm wide versions for smooth navigation.

ASSESS LOADING & ACCESSIBILITY NEEDS

Identify exactly who and what will be crossing.

If the area must accommodate wheelchairs, pushchairs, or heavy mobility scooters, ensure the chosen ramps offer a high, bolt-free load-bearing capacity that complies with public accessibility standards.

PRIORITISE VISIBILITY AND SAFETY FEATURES

Evaluate the environmental risks of your site.

Select covers and ramps featuring advanced anti-slip surfaces to prevent accidents in wet or icy conditions, and opt for high-visibility colours like striking yellow to minimise the danger of trips and falls.

PLAN INSTALLATION AND ACCESSORIES

Consider the current stage of your construction or roadwork.

Choose modular designs for fast, tool-free placement, and if your pavement has already been top-coated, ensure you include necessary accessories like KerbGuard Spacers to provide proper support during installation.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Kerb Covers and Ramps

Specification Sheet

SPC-TRENCH-004A

Technical Specification

PRODUCT	HEIGHT	WIDTH	DEPTH	WEIGHT	MATERIAL	COLOUR
KerbGuard 400mm Wide	160mm	400mm	200mm	3.7kg	Recycled PVC	Black or Yellow
KerbGuard 900mm Wide	160mm	900mm	200mm	8.8kg	Recycled PVC	Black or Yellow
KerbGuard Spacers	Designed for use with all sizes of KerbGuards when the pavement has already been top coated, ensuring the KerbGuard sits securely and maintains proper alignment				Recycled PVC	Yellow
SafeKerb HDPE Kerb Ramp	112mm	1265mm (End to End)	760mm	6kg	Plastic	Yellow



KerbGuard 400mm Wide

- Curve Navigation: Specifically designed with a 400mm profile to smoothly fit around kerb corners and curves.
- Impact Absorption: Protects vulnerable kerbs from heavy machinery collisions, preventing costly cracks and breaks.
- Eco-Friendly Material: Manufactured from highly durable, recycled PVC for sustainable site protection.
- High Visibility: Available in striking yellow or standard black to improve site safety and awareness.
- Fully Reusable: Easily transferable across different construction phases or entirely new projects.



KerbGuard 900mm Wide

- Straight Path Coverage: Designed with a long 900mm profile to protect straight runs of kerb.
- Impact Absorption: Shields vulnerable kerbs against heavy machinery collisions, preventing costly breakages early in a project.
- Eco-Friendly Construction: Manufactured from heavy-duty, recycled PVC for robust and sustainable site protection.
- High Visibility: Offered in striking yellow or standard black to maximise hazard awareness and site safety.
- Fully Reusable: Easily lifted and relocated across multiple construction phases or entirely new project sites.



KerbGuard Spacers

- Top-Coat Support: Designed to provide essential backing and support when the pavement has already been top-coated.
- Secure Fit: Ensures standard KerbGuards remain perfectly stable and aligned to effectively absorb heavy machinery impacts.
- Gap Bridging: Fills the height difference created by finished tarmac, maintaining maximum structural integrity for the kerb.
- Easy Integration: Works alongside both the 400mm curved and 900mm straight KerbGuards.
- Fully Reusable: Easily removed, relocated, and reused on future construction phases alongside your standard kerb protectors.



SafeKerb Kerb Ramp

- Smooth Accessibility: Provides seamless, gentle access for wheelchairs, pushchairs, and pedestrians navigating lower kerbs.
- Heavy Load Capacity: Strongly supports substantial weight without buckling, making it perfectly suited for heavy mobility scooters.
- High-Visibility Finish: Offered in a striking yellow colour to maximise hazard awareness and improve overall site safety.
- Anti-Slip Surface: Engineered with a textured grip to minimize the danger of slips and falls in wet or challenging conditions.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA

01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk