



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Uncompromising Perimeter Defence, Unobtrusive Visual Impact!

Our ProFence[®] SR1 (A1) Mesh Fencing is an intimidating and dependable boundary solution for high-security perimeters. Engineered to withstand hostile and opportunistic intrusion attempts, this **LPS 1175** rated system delivers a **certified one-minute delay** against forced entry using Tool kit A items, giving your on-site security team critical time to intercept threats. It is a reliable first line of defence while maintaining a sleek, discreet appearance that provides a less brutal alternative to steel palisade, ensuring uncompromised CCTV visibility and a low-key impact on the surrounding environment.

This specification covers our ProFence[®] SR1 (A1) Fencing range, available in a variety of heights across both robust **868 Twin Mesh** and anti-climb **358 Prison Mesh** configurations. Supplied as comprehensive kits and a choice of Dig-In or Bolt-Down formats—this fencing delivers a flawless, secure fit that ensures the long-term safety, adaptability, and operational integrity of your boundary defences.

Key Features

- ✓ **Certified LPS 1175 SR1 (A1) Rating**
(Independently tested to provide a guaranteed 1-minute forced entry delay)
- ✓ **LPCB Certified**
(Assures compliance with global security standards)
- ✓ **Dual Mesh & Optimum Visibility**
(868 twin mesh & 358 prison mesh for clear sight lines for surveillance)
- ✓ **Versatile Installation Options**
(Dig-In for soft soil, bolt-down for solid concrete)
- ✓ **Complete Kits**
(Ready-to-install package with mesh panel, posts, clamp bars and fixings)

Suitable For

- ✓ Government & Military Installations
- ✓ Airports and Aviation Facilities
- ✓ Educational Campuses
- ✓ Commercial & Industrial Estates
- ✓ Prisons & High-Security Compounds



The ProFence[®] system features posts with a clamp bar design.

This design securely fastens the mesh panel to the post, removing pry points and upholding the LPS 1175 certification.


Available in both Dig-In and Bolt-Down formats.

A corner post is available to configure directional changes.

Intermediate Posts have through holes on one face, Corner Posts have holes on two faces.



ProFence[®] fencing kits are approved for gradients up to 25°. Available in 868 or 358 mesh profiles.



Certified SR1 (A1) Security Rating

Rigorously tested against a one-minute attack using Tool kit A (including small, concealable hand tools such as pliers, bolt cutters and engineer's hooks).

This provides a minimum 60-second delay, giving on-site security teams crucial time to detect and respond.

Delivers certified protection without the aggressive appearance of traditional palisade fencing.



Call our Expert Sales Team for more information.

General Specification

All mesh panels are made from pre-galvanised steel with a PPC finish (choice of colour)



Wire Thickness (868 mesh): 6mm Vertical, 8mm Horizontal

Wire Thickness (358 mesh): 4mm

1.8m High Mesh Fencing Kit

PANEL WIDTH	POST BOX SECTIONS	TOTAL POST LENGTH
2500mm	60 x 60 x 2mm	2500mm (Dig In) 1800mm (Bolt Down)

2.0m High Mesh Fencing Kit

PANEL WIDTH	POST BOX SECTIONS	TOTAL POST LENGTH
2500mm	60 x 60 x 2mm	2700mm (Dig In) 2000mm (Bolt Down)

2.4m High Mesh Fencing Kit

PANEL WIDTH	POST BOX SECTIONS	TOTAL POST LENGTH
2500mm	60 x 60 x 2mm	3200mm (Dig In) 2400mm (Bolt Down)

3.0m High Mesh Fencing Kit

PANEL WIDTH	POST BOX SECTIONS	TOTAL POST LENGTH
2500mm	60 x 60 x 2mm	3800mm (Dig In) 3000mm (Bolt Down)

ProFence® 868 Mesh Kit Contents

ProFence® Mesh Panel (868 mesh)
ProFence® Intermediate Post
ProFence® Clamp Bar
ProFence® Security Clips
M8 x 100mm Bolts & Nuts
Black Ribbed Inserts
M16 x 125mm Ground Anchors (B/D Option)

ProFence® 358 Mesh Kit Contents

ProFence® Mesh Panel (358 mesh)
ProFence® Intermediate Post
ProFence® Clamp Bar
M8 x 90mm Through Bolts & Nuts
Black Ribbed Inserts
M16 x 125mm Ground Anchors (B/D Option)
The quantity of fixings differs depending on the chosen system height.

Additional Information

Concrete Foundation Requirement: C20/25
Dig In Depths:
1.8m and 2.0m = 700mm
2.4m and 3.0m = 800mm
Ground Clearance: 50mm

B/D = Bolt Down

First Fence also offers corner posts and a selection of gates to match the ProFence® Mesh Fencing System - why not take a look?

[CLICK HERE](#)



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk