



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Sleek Design, Sustainable Security!

EnviroRail[®] Flat Top Railings deliver a sleek, modern look paired with sustainable manufacturing. Built using custom, laser-cut components that interlock to match the strength of traditional welds, this system significantly cuts energy consumption. The sleek, straight vertical bars and horizontal top rail give a formal and authoritative boundary ideal for **commercial properties, urban housing projects and public spaces**.

Available in heights from **0.9m to 2.4m** with both dig-in and bolt-down fixing options, the range adapts easily to any site requirement. Each panel is made from high-grade pre-galvanised steel and sealed with a tough Polyester Powder Coating (PPC) in your choice of RAL colours, ensuring exceptional weather resistance and seamless architectural integration.

Key Features


- ⊙ **Versatile Customisation**
(Available in 0.9 to 2.4m heights and as a dig-in or bolt-down format)
- ⊙ **Exceptional Strength**
(Despite minimal welding, the component bonds are as strong as traditional weld)
- ⊙ **Corrosion Resistant**
(Galvanised with a PPC finish offering long-lasting protection against rust)
- ⊙ **Eco-Friendly Manufacturing**
(Laser-cut, press-fit construction reduces energy-intensive welding)
- ⊙ **Contemporary Aesthetic**
(Clean lines offer a minimalist look that complements most settings)

Suitable For

- ⊙ Modern Residential Developments
- ⊙ Public Urban Spaces
- ⊙ Educational Facilities
- ⊙ Retail Outlets
- ⊙ Commercial Business Parks



EnviroRail[®] Railings Details




Call our Expert Sales Team for more information.

Railings Specifications

HEIGHT	BAY WIDTH	POST HEIGHT	POST SECTION	TUBE Ø	MATERIAL	FINISH	DIG IN DEPTH
0.9m	2900mm	900mm (BD) 1400mm (DI)	50x50x2mm (SHS)	20mm	Pre-Galvanised Steel	Powder Coated	500mm
1.0m	2900mm	1000mm (BD) 1500mm (DI)	50x50x2mm (SHS)	20mm	Pre-Galvanised Steel	Powder Coated	500mm
1.2m	2900mm	1200mm (BD) 1700mm (DI)	50x50x2mm (SHS)	20mm	Pre-Galvanised Steel	Powder Coated	500mm
1.5m	2900mm	1500mm (BD) 2000mm (DI)	60x60x3mm (SHS)	25.4mm	Pre-Galvanised Steel	Powder Coated	500mm
1.8m	2900mm	1800mm (BD) 2400mm (DI)	60x60x3mm (SHS)	25.4mm	Pre-Galvanised Steel	Powder Coated	600mm
2.0m	2900mm	2000mm (BD) 2600mm (DI)	60x60x3mm (SHS)	25.4mm	Pre-Galvanised Steel	Powder Coated	600mm
2.4m	2900mm	2400mm (BD) 3100mm (DI)	60x60x3mm (SHS)	25.4mm	Pre-Galvanised Steel	Powder Coated	700mm

BD = Bolt Down, DI = Dig In. Flat Top Railings are made from hollow tube.

How it all fits together



Often Purchased With:



For a strong installation, you will need post mix or ground anchor bolts, depending on the post style (dig in or bolt down format).



Pristine Protection

A RAL-matched touch-up spray is the ultimate insurance policy for your new railings.

While powder coating is incredibly durable, minor scuffs from transit or installation are often unavoidable. By matching the exact colour of your railings, you can instantly vanish nicks and seal the steel against moisture.



Fix It Kit for EnviroRail®

Simplify the repair process! This fix it kit includes everything needed for a seamless fix, including twist cleats, M10 Nuts and Bolts, Support Leg and Touch Up Spray. Available in Black, Green, Blue or Red (RAL matched to our EnviroRail® railings).

Take a look at
our full
EnviroRail® line!

[CLICK HERE](#)



Call our Expert Sales Team for more information.