FirstFence®
HIRE & SALES

Glendale Shelter

Specification Sheet

SPC-SHELTER-003A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Glendale Shelter

Specification Sheet

SPC-SHELTER-003A


Galvanised Steel & PETG Shelters: Strength & Durability

Discover the perfect blend of strength and versatility with the Glendale Open-Fronted Shelter. Engineered to withstand harsh weather conditions and resist rust and corrosion, these premium, free-standing shelters offer reliable, low-maintenance protection for a wide variety of outdoor applications. Whether you need a designated smoking area, secure bike storage, or a convenient trolley shelter, the Glendale Shelter delivers uncompromising performance while ensuring a clean, practical design and efficient water run-off.

Available in a choice of depths ranging from 1m to 5m and featuring high-quality protective elements—including a UV-stabilised clear sheet curved roof and half side panels—this fully modular, kit-form, bolt-down shelter can be perfectly tailored to meet the demands of your site.

Key Features

- Premium Galvanised Steel Construction
  (Manufactured to ISO 1461 standards for durability and low maintenance)
- Versatile & Modular Sizing
  (Fully modular kit-form design with choice of depths from 1m to 5m)
- Curved UV-Stabilised Roof
  (Clear sheet roof with curved design for protection & effective water run-off)
- Modular Kit-Form Assembly
  (A fully modular kit for easy on site building)
- Bolt-Down Format
  (Simply fixed to the ground with anchor bolts)



Suitable For

- Designated Smoking Areas
- Secure Bicycle Storage
- Retail Trolley Bays
- Passenger Waiting areas
- Workplace Break Zones

See the full steel shelters range here CLICK HERE

Choosing the Right Glendale Shelter for Your Project

STEP 1: WHAT WILL THE SHELTER BE USED FOR?

Determine exactly how the shelter will be used, as this dictates your internal layout and accessory needs.

While the open-front and clear PETG half-side panel design is naturally suited for compliant smoking areas or trolley bays, using it as a bike shelter means you must factor in the footprint required for cycle stands.

STEP 2: MEASURE & SELECT THE RIGHT SIZE

Evaluate your available site space and expected user volume.

The Glendale Shelter features a highly adaptable modular design, offering a choice of depths ranging from 1m up to 5m.

Select a depth that comfortably accommodates your peak capacity without encroaching on surrounding walkways or traffic routes.

STEP 3: CHECK THE INSTALLATION SURFACE

Verify that your intended site has a suitable foundation.

The Glendale is engineered exclusively for bolt-down installation, utilising heavy-duty 140mm x 140mm x 10mm base plates.

You will need a solid, flat concrete surface capable of securely housing the required M12 x 115mm ground anchors.

STEP 4: IDENTIFY NECESSARY ACCESSORIES

Depending on your chosen application, plan to include extras in your setup.

If you are building a bike storage zone, you can integrate compatible Sheffield cycle stands directly alongside your shelter purchase.

For passenger waiting zones or smoking shelters, you will need to plan for standalone seating, lighting, or ash bins.

STEP 5: FACTOR IN FUTURE GROWTH

Consider whether your capacity needs might increase over time.

Because the Glendale is a fully modular, kit-form structure assembled on-site, you can easily attach extension bays at a later date to increase the overall footprint.

This prevents you from having to replace the entire shelter if demand grows.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Glendale Shelter

Specification Sheet


SPC-SHELTER-003A

Technical Specifications

PRODUCT	HEIGHT	WIDTH	DEPTH OPTIONS	FRONT STYLE	CLADDING STYLE	GROUND FIXING
Glendale Shelter	2695mm Overall Height 2090mm Clearance Height	4062mm Overall Width 3871mm Internal Width	1, 2, 3, 4 & 5m	Open Fronted	PETG Sheet	Bolt Down

Additional Specifications

Standards: Galvanised to ISO 1461 | 1-Year Manufacturer's guarantee



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Glendale Shelter

Specification Sheet

SPC-SHELTER-003A

Glendale Shelter Styles



Glendale Shelter 1.0m Deep



Glendale Shelter 2.0m Deep



Glendale Shelter 3.0m Deep



Glendale Shelter 4.0m Deep



Glendale Shelter 5.0m Deep

Additional Extras



Perch Bench
Available in a 1000mm and 1500mm width option



Ash Tray
Stainless Steel Ash Tray with Fixing Kit

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk