FirstFence®
HIRE & SALES

Inglewood Shelter

Specification Sheet

SPC-SHELTER-004A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Inglewood Shelter

Specification Sheet

SPC-SHELTER-004A

Galvanised Steel & PETG Shelters: Strength & Durability

Discover the perfect blend of strength and versatility with the Inglewood Open-Fronted Shelter. Engineered from galvanised steel, these premium, standalone shelters offer reliable, low-maintenance protection for a wide variety of outdoor applications. Whether you need a compliant designated smoking area, secure bike storage, or a convenient trolley shelter, the Inglewood Shelter delivers top performance while ensuring a sleek, practical design and an elegant side-to-side curved roof for efficient water run-off.

Available in a choice of depths ranging from 1m to 5m and featuring high-quality protective elements—including a heavy-duty, UV-stabilised 4mm PETG clear sheet roof for abundant natural light and half side panels for ventilation—this fully modular, kit-form, bolt-down shelter can be perfectly tailored to meet the demands of your site.

Key Features

- Premium Galvanised Steel Construction
  (Manufactured to ISO 1461 standards for durability and low maintenance)
- Versatile & Modular Sizing
  (Fully modular kit-form design with choice of depths from 1m to 5m)
- Curved UV-Stabilised Roof
  (Clear sheet roof with curved design for protection & effective water run-off)
- Modular Kit-Form Assembly
  (A fully modular kit for easy on site building)
- Regulatory Compliant Side Panels
  (PETG clear half-panels to ensure proper ventilation)

Suitable For

- Designated Smoking Areas
- Secure Bicycle Storage
- Retail Trolley Bays
- General Equipment Storage
- Staff or Visitor Waiting Area



See the full steel shelters range here CLICK HERE

Choosing the Right Inglewood Shelter for Your Project

STEP 1: WHAT WILL THE SHELTER BE USED FOR?

Clearly define how the shelter will be used, as this dictates its configuration.

If you are creating a designated smoking area, the Inglewood's built-in half-side panels are designed to adhere to UK smoking regulations by providing good ventilation. If your goal is bicycle or trolley storage, the clear 4mm PETG roofing and open front will ensure maximum visibility and a bright, secure environment for users.

STEP 2: CALCULATE THE REQUIRED DIMENSIONS

The Inglewood Shelter is highly versatile and is offered in a choice of depths ranging from 1m to 5m.

Assess your capacity requirements—such as the number of employees using a smoking area or the volume of bicycles to be stored.

The Inglewood has an overall width of 3147mm.

STEP 3: EVALUATE GROUND CONDITIONS

Because the Inglewood is a standalone, bolt-down shelter, you do not need to dig deep foundation holes. However, you must ensure that your intended site has a solid, hard ground surface (such as concrete) to securely accommodate the base plates. The 50mm square galvanised mild steel frame requires a stable foundation to guarantee longevity and safety.

STEP 4: SELECT NECESSARY ACCESSORIES

When configuring your order, don't forget to include the required fixings and accessories.

The shelter requires M12 x 115mm ground anchors for a secure, bolted-down installation, which must be added to your purchase. If you are utilising the shelter for bicycles, you may also want to purchase complementary Sheffield cycle stands to complete the setup.

STEP 5: FACTOR IN FUTURE GROWTH

Consider whether your capacity needs might increase over time.

Because the Glendale is a fully modular, kit-form structure assembled on-site, you can easily attach extension bays at a later date to increase the overall footprint.

This prevents you from having to replace the entire shelter if demand grows.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Inglewood Shelter

Specification Sheet


SPC-SHELTER-004A

Technical Specifications

PRODUCT	HEIGHT	WIDTH	DEPTH OPTIONS	FRONT STYLE	CLADDING STYLE	GROUND FIXING
Inglewood Shelter	2513mm Overall Height 2090mm Clearance Height	3147mm Overall Width 2891mm Internal Width	1, 2, 3, 4 & 5m	Open Fronted	PETG Sheet	Bolt Down

Additional Specifications

Standards: Galvanised to ISO 1461 | 1-Year Manufacturer's guarantee



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Inglewood Shelter

Specification Sheet

SPC-SHELTER-004A

Inglewood Shelter Styles



Inglewood Shelter 1.0m Deep



Inglewood Shelter 2.0m Deep



Inglewood Shelter 3.0m Deep



Inglewood Shelter 4.0m Deep



Inglewood Shelter 5.0m Deep

Additional Extras



Perch Bench
Available in a 1000mm and 1500mm width option



Ash Tray
Stainless Steel Ash Tray with Fixing Kit

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk