FirstFence®
HIRE & SALES

Leyton Shelter

Specification Sheet

SPC-SHELTER-005A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Leyton Shelter

Specification Sheet

SPC-SHELTER-005A

Galvanised Steel & PETG Shelters: Strength & Durability

Discover the perfect blend of strength and versatility with the Leyton Open-Sided Shelter. Engineered from rust-resistant galvanised mild steel, these premium, free-standing shelters offer reliable, low-maintenance protection for a wide variety of outdoor applications. The Leyton is ideal for secure bicycle storage, however it can also be used as a smoking shelter, passenger waiting area, or convenient wheelie bin storage. The Leyton Shelter delivers top performance while ensuring a sleek, practical design and an elegant curved roof and back for efficient water run-off.

Available in a generous depth of 2090mm with a choice of widths ranging from 1m to 5m, and featuring high-quality protective elements—including a heavy-duty, UV-stabilised 4mm PETG clear sheet roof and back for abundant natural light, alongside a completely open front and sides for increased visibility and security—this fully modular, kit-form, bolt-down shelter can be perfectly tailored to meet the demands of your site.

Key Features

- Premium Galvanised Steel Construction
  (Manufactured to ISO 1461 standards for permanent outdoor use)
- Versatile & Modular Sizing
  (Fully modular kit-form design with choice of widths from 1m to 5m)
- Curved Roof Design
  (Steel or PETG sheet roof with curved design for effective water run-off)
- Modular Kit-Form Assembly
  (A fully modular kit for easy on site building)
- High-Visibility Open Design
  (Free-standing, open-sided and open-fronted structure)

Suitable For

- Bicycle Storage
- Wheelie Bin Storage
- Designated Smoking Areas
- Passenger Waiting Areas
- Trolley & Equipment Shelter



See the full steel shelters range here CLICK HERE

Choosing the Right Leyton Shelter for Your Project

STEP 1: WHAT WILL THE SHELTER BE USED FOR?

Start by defining exactly how the shelter will be used.

While the core structure is the same, your use dictates how much space you will need.

Determine if you are storing bicycles, housing commercial wheelie bins, or creating a compliant smoking or passenger waiting area.

STEP 2: CALCULATE THE REQUIRED WIDTH

The Leyton shelter features a standard depth of 2090mm and a height of 2124mm, but you must select the appropriate width to match your capacity.

Choose from standard widths of 1m, 2m, 3m, 4m, or 5m.

Because the design is fully modular, you can also plan for future growth by adding extension bays to create a much larger continuous shelter.

STEP 3: CHOOSE YOUR CLADDING MATERIALS

PETG Clear Sheet: Made from 4mm UV-stabilised PETG, this option allows for maximum natural daylight. Ideal for bike shelters/waiting areas as high visibility naturally enhances safety and deters theft.

Steel Clad: If you are using the shelter for waste management and want to hide unsightly wheelie bins from public view, or if you simply need maximum heavy-duty privacy, the steel-clad option is the way to go.

STEP 4: EVALUATE YOUR GROUND SURFACE

Because the Leyton shelter is an open-sided, free-standing structure, it catches the wind and requires a rigid foundation.

Verify that your intended site has a solid, hard ground surface (such as a reinforced concrete pad).

The shelter is designed as a bolt-down system and cannot be safely installed directly onto soft earth, grass, or loose gravel.

STEP 5: SELECT FIXINGS AND ACCESSORIES

Finish your specification by ensuring you have all the necessary installation hardware and add-ons ready for your on-site assembly:

Ground Anchors: You will need M12 x 115mm ground anchors to ensure a firm, safe, and warranty-compliant installation.

Cycle Stands: If your application is bike storage, remember to add compatible cycle stands to your order to complete the interior setup.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Leyton Shelter

Specification Sheet

SPC-SHELTER-005A

Technical Specifications


PRODUCT	HEIGHT	DEPTH	WIDTH OPTIONS	FRONT STYLE	CLADDING STYLE	GROUND FIXING
Leyton Shelter	2124mm	2090mm	1, 2, 3, 4 & 5m	Open Fronted	Steel or PETG Sheet	Bolt Down

Additional Specifications

Standards: Galvanised to ISO 1461 | 1-Year Manufacturer's guarantee



Steel Clad Shelter



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Leyton Shelter


Specification Sheet

SPC-SHELTER-005A


Leyton Shelter Styles




Leyton Shelter 1.0m Wide




Leyton Shelter 2.0m Wide



Leyton Shelter 3.0m Wide



Leyton Shelter 4.0m Wide



Leyton Shelter 5.0m Wide

Additional Extras



Perch Bench
Available in a 1000mm and 1500mm width option



M12 x 115mm Ground Anchors
This is a bolt-down only product and ground anchors are essential

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk