FirstFence®
HIRE & SALES

Stratford Shelter

Specification Sheet

SPC-SHELTER-006A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Stratford Shelter

Specification Sheet

SPC-SHELTER-006A

Galvanised Steel & PETG Shelters: Strength & Durability

Discover the perfect blend of strength and versatility with the Stratford Shelter. Engineered from rust-resistant galvanised steel, these premium, free-standing shelters offer reliable, low-maintenance protection for a wide variety of outdoor applications. The Stratford is ideal for secure bicycle storage, however it can also be used as a smoking shelter, passenger waiting area, or convenient wheelie bin storage. The Stratford Shelter delivers top performance while ensuring a sleek, practical design featuring an elegant roof that curves from the top to the ground for efficient water run-off.

Available in a generous depth of 2m and an overall height of 2124mm with a choice of widths ranging from 1m to 5m, and featuring high-quality protective elements—including a heavy-duty 4mm clear PETG sheet roof, rear, and side panels for abundant natural daylight and premium weather protection and a mesh door option—this fully modular, kit-form, bolt-down shelter can be perfectly tailored to meet the demands of your site.

Key Features

- Premium Weather Resistance
  (Manufactured from ISO 1461 galvanised steel for outdoor environments)
- Versatile & Modular Sizing
  (Fully modular kit-form design with choice of widths from 1m to 5m)
- Efficient Curved Roof Design
  (Steel & PETG sheet roof with curved design for efficient water run-off)
- Modular & Customisable Sizing
  (Available in standard 2m depth and 2124mm height with width options)
- Secure, Free-Standing Installation
  (Fully modular kit-form design for straightforward on-site assembly)

Suitable For

- Bicycle Storage
- Wheelie Bin Storage
- Designated Smoking Areas
- Passenger Waiting Areas
- Multi-Purpose Outdoor Storage



See the full steel shelters range here CLICK HERE

Choosing the Right Stratford Shelter for Your Project

STEP 1: WHAT WILL THE SHELTER BE USED FOR?

Before looking at dimensions, determine exactly what the shelter will be used for.

Bicycle Storage: Requires clear internal space, specific security features, and cycle stands.

Wheelie Bins/Waste Management: Needs to accommodate the width and depth of specific commercial or residential bins.

Passenger or Smoking Shelter: Prioritises quick, unobstructed access and maximum airflow.

STEP 2: CHOOSE YOUR SECURITY LEVEL

The Stratford shelter offers two front-access configurations:

Standard Open-Front: Ideal for passenger waiting areas, smoking shelters, or low-risk bin storage where rapid, access is the priority.

Mesh Door Version: The best choice for high-security bicycle storage, valuable equipment, or restricted waste areas. The mesh doors provide a secure, lockable barrier while maintaining excellent visibility and airflow.

STEP 3: CHOOSE THE REQUIRED SIZE

The Stratford has a standard 2m depth and 2124mm height, with widths from 1m to 5m.

Choose the width based on your capacity needs, with extension bays available for larger or future requirements.

1m–5m widths: Choose based on the number of bikes, bins, or people to accommodate.

Extension bays: Expand beyond 5m or allow for future capacity.

STEP 4: SELECT INTERNAL ACCESSORIES

If you are using the shelter for active travel storage, you will need to equip the interior accordingly.

Cycle Stands: The Stratford is designed to pair perfectly with standard cycle stands.

Calculate how many stands will fit comfortably within your chosen width (typically allowing around 800mm to 1000mm between stands) and add these to your order so they arrive together.

STEP 5: ASSESS SITE FOR INSTALLATION

The Stratford is a fully modular, free-standing structure for straightforward on-site installation, but the ground must be properly prepared.

Surface Check: Ensure you have a solid, level concrete base or appropriate hard standing.

Fixing Method: The shelter utilises square flange plates featuring heavy-duty 140mm x 140mm x 10mm base plates. Ensure your chosen location can safely accommodate the necessary ground anchor bolts for a secure, permanent fix.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Stratford Shelter

Specification Sheet


SPC-SHELTER-006A

Technical Specifications

PRODUCT	HEIGHT	DEPTH	WIDTH OPTIONS	FRONT STYLE	CLADDING STYLE	GROUND FIXING
Stratford Shelter	2124mm	2090mm	1, 2, 3, 4 & 5m	Open Fronted	PETG Sheet	Bolt Down

Additional Specifications

Standards: Galvanised to ISO 1461 | 1-Year Manufacturer's guarantee



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

Stratford Shelter


Specification Sheet

SPC-SHELTER-006A


Stratford Shelter Styles




Stratford Shelter 1.0m Wide



Stratford Shelter 2.0m Wide



Stratford Shelter 3.0m Wide



Stratford Shelter 4.0m Wide



Stratford Shelter 5.0m Wide

Additional Extras



Perch Bench
Available in a 1000mm and 1500mm width option



M12 x 115mm Ground Anchors
This is a bolt-down only product and ground anchors are essential

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk