



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Galvanised Steel & PETG Shelters: Strength & Durability

Discover the perfect blend of strength and versatility with the Newton Shelter. Engineered from robust, rust-resistant galvanised steel, these premium, free-standing shelters offer reliable, low-maintenance protection for many outdoor uses. The Newton is ideal for bicycle storage, however it can also be used as a smoking shelter or passenger waiting area. The Newton Shelter delivers top performance while ensuring a sleek, modern, and practical design featuring an open structure with no sides or backs to provide excellent ventilation and allow the area to be flooded with natural light.

Available in a generous depth of 2m and an overall height of 2381mm with a choice of widths ranging from 2m to 5m, and featuring high-quality protective elements—including a choice between a clear PETG sheet roof or a standard galvanised steel roof for durable overhead weather protection—this fully modular, kit-form, bolt-down shelter can be perfectly tailored to meet the demands of your site.

Key Features

- ☑ **Galvanised Steel Construction (ISO 1461)**
(Made from galvanised steel for high resistance to rust and harsh weather)
- ☑ **Versatile Roof Options**
(Available with a clear PETG sheet or solid steel roof)
- ☑ **Open-Access Ventilation**
(Designed without side or back panels to maximise airflow and light)
- ☑ **Free-standing Bolt-Down Design**
(Modular component form kit with base plates for ground mounting)
- ☑ **Flexible Dimensions**
(Features a fixed depth of 2m, 2381mm height, and choice of width)

Suitable For

- ☑ Bicycle & Scooter Storage
- ☑ Designated Smoking & Vaping Areas
- ☑ Passenger Waiting Shelters
- ☑ Wheelie Bin & Waste Enclosures
- ☑ Covered Walkways & Rest Areas



See the full steel shelters range here [CLICK HERE](#)

Choosing the Right Newton Shelter for Your Project

STEP 1: HOW WILL THE SHELTER BE USED ON SITE

Bicycle Storage or Passenger Waiting: A PETG clear roof is recommended to maximise natural visibility.

Smoking Shelter or Bin Enclosure: Either PETG or a solid galvanised roof will work, depending on your shade and privacy requirements.

STEP 2: MEASURE YOUR INSTALLATION FOOTPRINT

Ensure the installation area can comfortably accommodate the shelter's physical dimensions:

Height: 2381mm overall clearance.

Depth: 2m depth.

Width: Choose from 2m, 3m, 4m, or 5m depending on capacity needs (e.g., number of bike racks or bins to cover).

STEP 3: SELECT THE ROOF MATERIAL

Choose between the two roof panel configurations:

PETG Roof: UV-resistant, clear sheet roof that floods the shelter with natural daylight.

Steel Roof: Hot-dip galvanised steel sheet for maximum durability, vandalism resistance, and full shade.

STEP 4: VERIFY GROUND CONDITIONS & FIXINGS

Confirm that your site has a flat, suitable concrete base ready for installation.

The shelter is a free-standing unit mounted via square flange plates secured with heavy-duty anchor bolts.

STEP 5: DETERMINE EXTENSION NEEDS

If you anticipate needing extra capacity in the future or have a long linear site footprint, plan whether to install a standalone unit or link multiple bays together using extension modules.




Call our Expert Sales Team for more information.

Technical Specifications

PRODUCT	HEIGHT	DEPTH	WIDTH OPTIONS	FRONT STYLE	CLADDING STYLE	GROUND FIXING
Newton Shelter	2381mm Overall Height 1569mm Clearance Height	2090mm	2, 3, 4 & 5m	Open Front and Sides	PETG Sheet or Steel Clad	Bolt Down

Additional Specifications

Standards: Galvanised to ISO 1461 | 1-Year Manufacturer's guarantee



Call our Expert Sales Team for more information.

Newton Shelter Styles



Newton Shelter 2.0m Wide - Steel or PETG Roof



Newton Shelter 3.0m Wide - Steel or PETG Roof



Newton Shelter 4.0m Wide - Steel or PETG Roof



Newton Shelter 5.0m Wide - Steel or PETG Roof

Additional Extras



Perch Bench

Available in a 1000mm and 1500mm width option



M12 x 115mm Ground Anchors

This is a bolt-down only product and ground anchors are essential



Call our Expert Sales Team for more information.