FirstFence®
HIRE & SALES

Stanton Shelter

Specification Sheet

SPC-SHELTER-008A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Stanton Shelter

Specification Sheet

SPC-SHELTER-008A

Galvanised Steel & PETG Shelters: Strength & Durability

Discover the perfect blend of strength and versatility with the Stanton Shelter. Engineered from robust, rust-resistant galvanised steel, these premium, free-standing shelters offer reliable, low-maintenance protection for many outdoor uses. The Stanton is ideal for bicycle storage, however it can also be used as a smoking shelter or passenger waiting area. The Stanton Shelter delivers top performance while ensuring a sleek, modern, and practical design featuring an open structure with no sides or backs to provide excellent ventilation and allow the area to be flooded with natural light.

Available in a generous depth of 2m and an overall height of 2378mm with a choice of widths ranging from 2m to 5m, and featuring high-quality protective elements—including a choice between a clear PETG sheet roof or a standard galvanised steel roof for durable overhead weather protection—this fully modular, kit-form, bolt-down shelter can be perfectly tailored to meet the demands of your site.

Key Features

- Galvanised Steel Construction (ISO 1461)
  (Made from galvanised steel for high resistance to rust and harsh weather)
- Versatile Roof Options
  (Available with a clear PETG sheet or solid steel roof)
- Open-Access Ventilation
  (Designed without side or back panels to maximise airflow and light)
- Free-standing Bolt-Down Design
  (Modular component form kit with base plates for ground mounting)
- Flexible Dimensions
  (Features a fixed depth of 2m, 2378mm height, and choice of width)

Suitable For

- Bicycle & Scooter Storage
- Designated Smoking & Vaping Areas
- Passenger Waiting Shelters
- Wheelie Bin & Waste Enclosures
- Covered Walkways & Rest Areas



See the full steel shelters range here CLICK HERE

Choosing the Right Stanton Shelter for Your Project

STEP 1: HOW WILL THE SHELTER BE USED ON SITE

Bicycle Storage or Passenger Waiting: A PETG clear roof is recommended to maximise natural visibility.

Smoking Shelter or Bin Enclosure: Either PETG or a solid galvanised roof will work, depending on your shade and privacy requirements.

STEP 2: MEASURE YOUR INSTALLATION FOOTPRINT

Ensure the installation area can comfortably accommodate the shelter's physical dimensions:

Height: 2378mm overall clearance.

Depth: 2m depth.

Width: Choose from 2m, 3m, 4m, or 5m depending on capacity needs (e.g., number of bike racks or bins to cover).

STEP 3: SELECT THE ROOF MATERIAL

Choose between the two roof panel configurations:

PETG Roof: UV-resistant, clear sheet roof that floods the shelter with natural daylight.

Steel Roof: Hot-dip galvanised steel sheet for maximum durability, vandalism resistance, and full shade.

STEP 4: VERIFY GROUND CONDITIONS & FIXINGS

Confirm that your site has a flat, suitable concrete base ready for installation.

The shelter is a free-standing unit mounted via square flange plates secured with heavy-duty anchor bolts.

STEP 5: DETERMINE EXTENSION NEEDS

If you anticipate needing extra capacity in the future or have a long linear site footprint, plan whether to install a standalone unit or link multiple bays together using extension modules.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Stanton Shelter

Specification Sheet


SPC-SHELTER-008A

Technical Specifications

PRODUCT	HEIGHT	DEPTH	WIDTH OPTIONS	FRONT STYLE	CLADDING STYLE	GROUND FIXING
Stanton Shelter	2378mm Overall Height 2209mm Clearance Height	2074mm	2, 3, 4 & 5m	Open Front and Sides	PETG Sheet or Steel Clad	Bolt Down

Additional Specifications

Standards: Galvanised to ISO 1461 | 1-Year Manufacturer's guarantee



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

Stanton Shelter

Specification Sheet

SPC-SHELTER-008A

Stanton Shelter Styles



Stanton Shelter 2.0m Wide - Steel or PETG Roof



Stanton Shelter 3.0m Wide - Steel or PETG Roof



Stanton Shelter 4.0m Wide - Steel or PETG Roof



Stanton Shelter 5.0m Wide - Steel or PETG Roof

Additional Extras



Perch Bench
Available in a 1000mm and 1500mm width option



M12 x 115mm Ground Anchors
This is a bolt-down only product and ground anchors are essential

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk