FirstFence®
HIRE & SALES

Chain Link Fencing

Specification Sheet

SPC-CHA-004A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Chain Link Fencing

Specification Sheet

SPC-CHA-004A

Resilient Boundary Control, Uncompromised Visibility

Designed for sites requiring a cost-effective yet highly durable perimeter deterrent, our Steel Post Chain Link Fencing Range—available in versatile heights from 0.9m to 2.75m—provides a robust, low-maintenance security solution. Engineered from heavy-duty galvanised steel wire with an optional PVC coating and supported by a comprehensive system of purpose-built steel strainer and intermediate posts, this interwoven diamond mesh system is purpose-built to withstand harsh weather conditions while maintaining excellent airflow and line of sight.

This range serves as a highly reliable physical barrier for expansive perimeters—offering an adaptable and enduring boundary for commercial warehouses, sports and recreational areas, agricultural enclosures, and public facilities.

Key Features

- Premium Galvanised Construction
  (Exceptional resistance to rust, optional Green or Black PVC coating)
- Interwoven Diamond Mesh Design
  (This pattern creates a physical barrier while maintaining visibility)
- Robust Steel Post System
  (Supported by a selection of steel posts to ensure maximum tension)
- Versatile Height Configurations
  (Allows highly adaptable boundary precision, tailored to specific sites)
- Efficient Dig-In Installation
  (A highly secure, permanent foundation using Rapid Set Post Mix)

Suitable For

- Commercial & Industrial Estates
- Public Infrastructure & Civic Spaces
- Sports & Recreational Facilities
- Agricultural & Containment Zones
- Private Residential Perimeters



Available as galvanised, Green or Black

Chain Link System Components

CHAIN LINK ROLL

Woven from high-tensile galvanised steel wire with optional Green or Black PVC coating.

Supplied in 25m or 12.5m lengths (dependent on height) with line wires.



END STRAINER POSTS

These foundational posts anchor the beginning and end of a fencing run, providing the critical strength required to tension the entire system.



INTERMEDIATE POSTS


Standard vertical line supports, set at 3.0m intervals between strainer posts.

They maintain the upright profile of the mesh across straight perimeters.



2-WAY STRAINER POSTS

Used to distribute tension from both directions on straight runs exceeding 69m. Positioned at a maximum of 30m intervals to prevent sagging over long distances.



CORNER STRAINER POSTS

Used wherever the fence line changes direction. They are designed to absorb, anchor and safely distribute multi-directional loads to keep the fence line tight at all boundary angles.



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Chain Link Fencing

Specification Sheet

SPC-CHA-004A

CHAIN LINK ROLL

Material	Galvanised Steel Wire
Colour	Galvanised, Green or Black PVC Coated
Height	900mm, 1200mm, 1500mm, 1800mm, 2400mm & 2750mm
Roll Length	25m (0.9, 1.2, 1.5 & 1.8m Height) & 12.5m (2.4 & 2.75m Height)
Wire Gauge (Galvanised)	2.5mm
Wire Gauge (Green/Black PVC)	3.15/2.24mm



Comes with line wire

STEEL END STRAINER POST KITS

Material	Hot-Dip Galvanised Steel (50 x 50mm Rolled Steel Angle, comes with 40 x 40mm RSA struts)
Post Type	Dig In
Colour	Galvanised, Powder Coated Green or Black
Height (Installed)	900mm, 1200mm, 1500mm, 1800mm, 2400mm & 2750mm
Height (Total)	1500mm, 1800mm, 2100mm, 2400mm, 3200mm & 3600mm
Fixings	Stretcher Bar, Ferrule Winders, Support Beam, Brace Cross Beam, M8 x 20mm Hex Bolts & Nuts



STEEL INTERMEDIATE POSTS

Material	Hot-Dip Galvanised Steel
Post Type	Dig In
Colour	Galvanised, Powder Coated Green or Black
Height (Installed)	900mm, 1200mm, 1500mm, 1800mm, 2400mm & 2750mm
Height (Total)	1500mm, 1800mm, 2100mm, 2400mm, 3200mm & 3600mm
Post Width	50 x 50mm Rolled Steel Angle



STEEL TWO-WAY STRAINER POST KITS

Material	Hot-Dip Galvanised Steel (50 x 50mm Rolled Steel Angle, comes with 40 x 40mm RSA struts)
Post Type	Dig In
Colour	Galvanised, Powder Coated Green or Black
Height (Installed)	900mm, 1200mm, 1500mm, 1800mm, 2400mm & 2750mm
Height (Total)	1500mm, 1800mm, 2100mm, 2400mm, 3200mm & 3600mm
Fixings	Stretcher Bar, Ferrule Winders, M8 x 20mm Hex Head Bolts & Nuts



STEEL CORNER STRAINER POST KITS

Material	Hot-Dip Galvanised Steel (50 x 50mm Rolled Steel Angle, comes with 40 x 40mm RSA struts)
Post Type	Dig In
Colour	Galvanised, Powder Coated Green or Black
Height (Installed)	900mm, 1200mm, 1500mm, 1800mm, 2400mm & 2750mm
Height (Total)	1500mm, 1800mm, 2100mm, 2400mm, 3200mm & 3600mm
Fixings	Stretcher Bar, Ferrule Winders, M8 x 30mm Hex Head Bolts & Nuts



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Chain Link Fencing

Specification Sheet

SPC-CHA-004A

Product SKUs

0.9m Steel Posts

Intermediate Post Kit	CHAIN-KIT-0010
End Strainer Post Kit	CHAIN-KIT-0310
Corner Strainer Post Kit	CHAIN-KIT-0210
Two-Way Strainer Post Kit	CHAIN-KIT-0110

1.2m Steel Posts

Intermediate Post Kit	CHAIN-KIT-0020
End Strainer Post Kit	CHAIN-KIT-0320
Corner Strainer Post Kit	CHAIN-KIT-0220
Two-Way Strainer Post Kit	CHAIN-KIT-0120

1.5m Steel Posts

Intermediate Post Kit	CHAIN-KIT-0030
End Strainer Post Kit	CHAIN-KIT-0330
Corner Strainer Post Kit	CHAIN-KIT-0230
Two-Way Strainer Post Kit	CHAIN-KIT-0130

1.8m Steel Posts

Intermediate Post Kit	CHAIN-KIT-0040
End Strainer Post Kit	CHAIN-KIT-0340
Corner Strainer Post Kit	CHAIN-KIT-0240
Two-Way Strainer Post Kit	CHAIN-KIT-0140

2.4m Steel Posts

Intermediate Post Kit	CHAIN-KIT-0050
End Strainer Post Kit	CHAIN-KIT-0350
Corner Strainer Post Kit	CHAIN-KIT-0250
Two-Way Strainer Post Kit	CHAIN-KIT-0150

2.75m Steel Posts

Intermediate Post Kit	CHAIN-KIT-0060
End Strainer Post Kit	CHAIN-KIT-0360
Corner Strainer Post Kit	CHAIN-KIT-0260
Two-Way Strainer Post Kit	CHAIN-KIT-0160

Chain Link Roll - Galvanised

0.9m High x 25m Long	CHAIN-ROLL-009
1.2m High x 25m Long	CHAIN-ROLL-012
1.5m High x 25m Long	CHAIN-ROLL-015
1.8m High x 25m Long	CHAIN-ROLL-018
2.4m High x 25m Long	CHAIN-ROLL-024
2.75m High x25m Long	CHAIN-ROLL-028

Chain Link Roll - Black

0.9m High x 25m Long	BLA-CHAIN-ROLL-009
1.2m High x 25m Long	BLA-CHAIN-ROLL-012
1.5m High x 25m Long	BLA-CHAIN-ROLL-015
1.8m High x 25m Long	BLA-CHAIN-ROLL-018
2.4m High x 25m Long	BLA-CHAIN-ROLL-024
2.75m High x 25m Long	BLA-CHAIN-ROLL-028

Chain Link Roll - Green

0.9m High x 25m Long	GRE-CHAIN-ROLL-009
1.2m High x 25m Long	GRE-CHAIN-ROLL-009
1.5m High x 25m Long	GRE-CHAIN-ROLL-009
1.8m High x 25m Long	GRE-CHAIN-ROLL-009
2.4m High x 25m Long	GRE-CHAIN-ROLL-009
2.75m High x 25m Long	GRE-CHAIN-ROLL-009

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA

01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk