



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Heavy-Duty Containment, Field-Tested Resilience!

Our PastureGuard[®] Stock Fence delivers a balance of high-tensile strength and versatile stock management, designed to be incorporated into professional agricultural wire systems.

Constructed from galvanised woven steel mesh, fully compliant with BS EN 10223-5/10244-2 standards, this netting provides a high-durability perimeter solution that securely retains livestock while resisting severe animal pressure and harsh weather conditions. Serving as a dependable boundary for farm fields, transport corridors, and rural estates, it meets strict agricultural land management specifications for exceptional, long-term performance.

Precision-built for easy field deployment, each roll has engineered hinge-joint intersections to absorb heavy stock impact and maintain maximum rigidity across uneven terrain.

Key Features

- ☑ **Woven Grid Design**
(Constructed from continuous horizontal line wires and vertical stay wires)
- ☑ **Galvanised Corrosion Protection**
(Zinc coated to prevent rust and atmospheric corrosion)
- ☑ **Engineered Knot Joints**
(Hinge joints allow the fence to flex and bounce back under pressure)
- ☑ **Extensive Choice**
(Available in multiple gauge categories and mesh spacings)
- ☑ **Cost-Effective**
(A cost-efficient method of permanently enclosing large areas of land)

Suitable For

- ☑ Livestock Management & Containment
- ☑ Crop & Forest Protection
- ☑ Highway & Railway Boundary Fencing
- ☑ Estate & Rural Property Perimeters
- ☑ Conservation & Ecological Management



Understanding Product Designations

How to read stock fence codes (Example: L8/80/15)

L	8	80	15
Gauge Category (Light Stock Wire)	Line Wires (8 Horizontal Wires)	Fence Height (80cm Height)	Vertical Spacing (15cm Stay Pitch)

Recommended Uses by Gauge

LIGHT DUTY L Gauge Economical, lightweight and easy to handle or bend. Less resistant to stretching if heavy livestock lean against it. BEST SUITED FOR: • Hedgerow infilling & garden perimeters • Low-pressure boundary areas • Temporary fencing & small animals	MEDIUM/COMMERCIAL DUTY C Gauge The industry standard for agricultural fencing. Offers an ideal balance of high tensile strength, longevity and affordability. BEST SUITED FOR: • General agricultural boundaries • Sheep & lamb containment • Paddocks & permanent land division	HEAVY DUTY B Gauge Maximum durability and impact resistance. Engineered to withstand heavy physical pressure and severe weather environments. BEST SUITED FOR: • High stock pressure areas & heavy cattle • High-risk perimeters (busy roads/railways) • Harsh, exposed environmental sites
--	---	--



Call our Expert Sales Team for more information.


PRODUCT CODE	SKU	HORIZ. WIRES	HEIGHT (cm)	STAY SPACING (cm)	WEIGHT KG	TOP/ BOTTOM WIRE	LINE WIRE	JOINT TYPE
L5/60/15	AGRI-PASTURE-0020	5	60	15	12.73	2.5mm	2.0mm	Hinge
L8/80/15	AGRI-PASTURE-0040	8	80	15	20.83	2.5mm	2.0mm	Hinge
L10/120/15	AGRI-PASTURE-0060	10	120	15	27.25	2.5mm	2.0mm	Hinge
C8/80/15	AGRI-PASTURE-1020	8	80	15	30.89	3.0mm	2.0mm	Hinge
C8/80/22	AGRI-PASTURE-1040	8	80	22	61.78	3.0mm	2.0mm	Hinge
C8/80/30	AGRI-PASTURE-1060	8	80	30	15.45	3.0mm	2.5mm	Hinge
C6/90/30	AGRI-PASTURE-1080	6	90	30	20.67	3.0mm	2.5mm	Hinge
C7/100/15	AGRI-PASTURE-1100	7	100	15	32.27	3.0mm	2.5mm	Hinge
C10/120/15	AGRI-PASTURE-1120	10	120	15	42.11	3.0mm	2.5mm	Hinge
B8/80/15	AGRI-PASTURE-2020	8	80	15	48.06	4.0mm	3.0mm	Hinge
B8/80/30	AGRI-PASTURE-2040	8	80	30	37.29	4.0mm	3.0mm	Hinge

Roll length: 50m

Material & Manufacturing Standards

Material Base	Zinc Coated Steel Wire
Manufacturing Standard	BS EN 10223-5:2012
Galvanising Standard	BS EN 10244-2:2023
Knot Style	Hinge Knot/Joint

Hinge Knots/Joints



Stock fencing has hinge joints (knots). These are flexible & impact absorbent

Often Purchased With:

Bright Zinc Spray Can

Perfect for touching up any scuffs or scrapes to your galvanised finish products.



Agricultural Barbed Staples

First Fence's wire fencing barbed staples are designed for strong, reliable wire fixing in farm and rural fencing systems. Available in a 2.5kg box.



Agricultural Timber Posts

Essential for creating strong, stable fencing systems, our timber posts form a sturdy base for excellent pressure resistance.

Choose from end strainers, Intermediate strainers, and corner strainers in both tanalised UC4 and creosoted finishes.



Take a look at our full agricultural range!

CLICK HERE



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk