



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk



Rural Versatility, Engineered Strength!

Our AgriHex® Netting range delivers an unbeatable combination of high-tensile resilience, superior mesh stability, and long-term security—designed for demanding poultry protection, game bird management, and forestry preservation.

Made from premium galvanised steel wire fully compliant with BS EN 10223 and BS EN 10244-2 standards, this ultra-durable hexagonal mesh provides an exceptional corrosion-resistant barrier engineered to withstand severe physical pressure, resist predator breaches, and endure extreme weather conditions.

Engineered for professional agricultural and rural specifications, it offers the ultimate peace-of-mind enclosure solution for rabbit exclusion, pheasant rearing, secure chicken runs, protective tree guards, and versatile one-inch perimeter applications.

Key Features

- ☑ **Galvanised Protection**
(Zinc coating for superior rust and corrosion resistance in damp rural environments)
- ☑ **Reinforced Hexagonal Construction**
(Reverse 7 twist pattern that absorbs pressure and prevents unravelling)
- ☑ **Predator Resistance**
(A tough physical barrier designed to deter predators and secure livestock)
- ☑ **Multi-Application Versatility**
(Choose from one inch netting, chicken, pheasant & tree guard specifications)
- ☑ **Weather-Enduring Longevity**
(Built to withstand severe agricultural conditions, high winds and physical wear)

Suitable For

- ☑ Secure Poultry & Fowl Enclosures
- ☑ Professional Game Bird Rearing
- ☑ Agricultural & Crop Estate Protection
- ☑ Forestry & Sapling Preservation
- ☑ Versatile Boundary & Structural Reinforcement



Understanding Product Designations

How to read netting fence codes (Example: 1050/31/19g)

1050
Product Height (1050mm)

31
Mesh Size (31mm)

19g
Wire Gauge (19g)

Take a look at our
full agricultural range!

[CLICK HERE](#)

Often Purchased With:

J Pins

A secure method for anchoring wire fencing, netting or ground mesh into the soil.



Agricultural Barbed Staples

First Fence's wire fencing barbed staples are designed for strong, reliable wire fixing in farm and rural fencing systems. Available in a 2.5kg box.



Bright Zinc Spray Can

Perfect for touching up any scuffs or scrapes to your galvanised finish products.



Agricultural Timber Posts

Essential for creating strong, stable fencing systems, our timber posts form a sturdy base for excellent pressure resistance.



About wire gauge

When choosing wire gauge, remember that a lower number means a thicker, stronger wire.

18g is heavy and robust, engineered for high-pressure boundaries and maximum predator resistance.

19g provides an ideal middle ground, balancing durable structural strength with easier handling for everyday agricultural use.

20g is the thinnest and most pliable, making it highly flexible and perfect for lightweight tree guards, small domestic runs, or low-impact enclosures.



Call our Expert Sales Team for more information.

AGRIHEX[®] RABBIT NETTING

PRODUCT SKU	HEIGHT (mm)	MESH SIZE (mm)	WIRE GAUGE	ROLL LENGTH	WEIGHT (Kg)
AGRI-AGRIHEX-0020 1050x31x19g	1050	31	19g	50m	29.5
AGRI-AGRIHEX-0040 1050x31x18g	1050	31	18g	50m	42.5
AGRI-AGRIHEX-0060 1200x31x19g	1200	31	19g	50m	28.1
AGRI-AGRIHEX-0080 1200x31x18g	1200	31	18g	50m	48.5

AGRIHEX[®] PHEASANT NETTING

PRODUCT SKU	HEIGHT (cm)	MESH SIZE (mm)	WIRE GAUGE	ROLL LENGTH	WEIGHT (Kg)
AGRI-AGRIHEX-1020 1500x50x19g	1500	50	19g	50m	25
AGRI-AGRIHEX-1040 1500x40x19g	1800	40	19g	50m	41
AGRI-AGRIHEX-1060 1800x50x19g	1800	50	19g	50m	30

AGRIHEX[®] CHICKEN NETTING

PRODUCT SKU	HEIGHT (cm)	MESH SIZE (mm)	WIRE GAUGE	ROLL LENGTH	WEIGHT (Kg)
AGRI-AGRIHEX-2020 900x50x19g	900	50	19g	50m	14
AGRI-AGRIHEX-2040 1200x50x19g	1200	50	19g	50m	18.5

AGRIHEX[®] TREE GUARD NETTING

PRODUCT SKU	HEIGHT (cm)	MESH SIZE (mm)	WIRE GAUGE	ROLL LENGTH	WEIGHT (Kg)
AGRI-AGRIHEX-2060 600x31x19g	600	31	19g	50m	14.6

AGRIHEX[®] ONE INCH NETTING

PRODUCT SKU	HEIGHT (mm)	MESH SIZE (mm)	WIRE GAUGE	ROLL LENGTH	WEIGHT (Kg)
AGRI-ONEINCH-0020 600x25x20g	600	25	20g	50m	14.6
AGRI-ONEINCH-0040 900x25x20g	900	25	20g	50m	14.6
AGRI-ONEINCH-0060 1200x25x20g	1200	25	20g	50m	25.5
AGRI-ONEINCH-0080 1800x25x20g	1800	25	20g	50m	38

Material & Manufacturing Standards

Material Base	Zinc Coated Mild/High Tensile Galvanised Steel
Manufacturing Standard	BS EN 10223-5:2012
Galvanising Standard	BS EN 10244-2:2023
Knot	Reverse 7 Twist

Care, Maintenance & Storage

Handling: Keep unrolled coils upright and elevated off the ground in a well-ventilated storage area.

Routine Inspection: Conduct a perimeter check bi-annually and after storms or high wind. Check for ground-level burrowing, impact damage or mesh distortion. Patch any breaches or cuts using matching tying wire. Re-tension any slackened support lines.



Call our Expert Sales Team for more information.