

Certificate of Product Approval


First Fence Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1745j	01	Kiln Way Swadlincote Derbyshire DE11 8EA

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
ProFence 2X® Security Fencing System	LPS 1175: Issue 8 Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

	Chris Hunt	08 August 2025
Signed for BRE Global Ltd	Verifier	Date of this Issue
08 August 2025		
Date of First Issue		



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1745j

ISSUE
01

First Fence Limited

Security Fencing System

Product Name	Type	Nominal Height (m)	Maximum Post Centres (m)	Gradients	Angles in Fence Line	Security Rating	LPCB Ref. No.
ProFence 2X®	Welded mesh security fencing system	2.0, 2.4 and 3.0	2.53	0° to 25°	90°, 180° and 270°	B3 (SR2)	1745j/01


Approved Assembly and Installation Drawings

Revision / Issue Date	Title / Contents
A 07/08/25	ProFence 2X® - 2.0m by 3.0m High 2.5 m wide Dig-in Fencing Kit Details (Page 1 of 11)
A 07/08/25	ProFence 2X® - 2.0m by 3.0m High 2.5 m wide Bolt Down Fencing Kit Details (Page 2 of 11)
A 07/08/25	ProFence 2X® - 2.0m by 3.0m High 2.5 m wide Fencing Kit (Pages 3 to 11 of 11)
Issue 1 07/08/25	ProFence 2X® - Operations, Maintenance and Installation Manual

Notes:

1. The 'angles in fence line' define the range of angles covered by the scope. These are measured between the attack faces of two adjacent fence panels.
2. The fencing system is available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. It is important to ensure that the local ground onto/into which the fence is installed offers compatible strength.
3. The fencing systems should only be constructed and installed in accordance with the documents listed in the table titled Approved Assembly and Installation Drawings, only using appropriate components supplied by First Fence Limited.

This certificate is maintained and held in force through regular surveillance activities.


Signed for BRE Global Ltd

Chris Hunt
Verifier

08 August 2025
Date of this Issue

08 August 2025
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

