

Certificate of Product Approval


First Fence Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1745h	02	Kiln Way Swadlincote Derbyshire DE11 8EA

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
EnviroProtect® Anti-Climb Security Gates	LPS 1175: Issue 8 Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

	Chris Hunt	16 September 2025
Signed for BRE Global Ltd	Verifier	Date of this Issue
17 February 2025		
Date of First Issue		



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1745h

ISSUE
02

First Fence Limited

Security Gates

Product Name	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Security Rating	LPCB ref. No.
EnviroProtect® Anti-Climb	Single leaf inward/outward opening gate	1.8	3.0	1.2	5.0	A1 (SR1)	1745h/01
	Double leaf inward/outward opening gate	1.8	3.0	2.0	10.0		

Compatible Locking Devices

Manufacturer	Model	Type	Compatible Operating Devices		Compatible Padlocks
			External face	Internal face	
First Fence Limited	Padlockable slide latch	Sliding bar	Padlock and sliding bar	Padlock and sliding bar	A to E


Compatible Padlocks

Padlock Reference	Manufacturer	Model	Type
A	Squire	SS50S	Refer to LPCB certificate 1179a
B	Squire	SS50CS	Refer to LPCB certificate 1179a
C	Squire	SS65S	Refer to LPCB certificate 1179a
D	Squire	SS65CS	Refer to LPCB certificate 1179a
E	Squire	SS80S	Refer to LPCB certificate 1179a

Notes:

- 1. The gates are compatible with the equivalent height fencing systems covered by the scope listed on LPCB certificate 1745g (Issue 02).
- 2. The active and passive leaf may also incorporate a drop bolt. That drop bolt does not need to be engaged in order to achieve the security rating noted.
- 3. The gates shall be mounted onto flat topography and are available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. Furthermore, the local ground onto/into which the gate is installed shall offer compatible strength.
- 4. The gap between the bottom of the gate leaf and the ground must not exceed 50 mm.

This certificate is maintained and held in force through regular surveillance activities.


Signed for BRE Global Ltd

Chris Hunt
Verifier

16 September 2025
Date of this Issue

17 February 2025
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

