


DO NOT SCALE DRAWING

Notes:



1. All materials to be mild steel and conform to relevant British standards.
2. All items to be pre-galvanised to BS EN 10346 or hot dip galvanised to ISO 1461.
3. Items can be powder coated on request, powder coating to : BS EN 13438
4. installation via R.A.M.S

ALL GATES & POSTS ARE TO BE FITTED WITH BLACK PLASTIC INSERTS



ALL GATES WITH 80x80/100x100/120x120 BOX SECTION HINGE POSTS ARE TO BE FITTED WITH GALVANISED EYE BOLTS & M8x40mm SADDLE BOLT / SHEAR NUT

ALL GATES WITH 150x150 / 200x200 BOX SECTION HINGE POSTS ARE TO BE FITTED WITH GALVANISED EYE BOLTS & M8x40mm SADDLE BOLT / SHEAR NUT





FOR GATES TO BE COMPLIANT THEY MUST BE FITTED WITH ONE OF THE PADLOCKS BELOW



Henry Squire & Son Padlocks List		
Product Name	Shackle (mm)	Security Rating
SS50S	26.0	2
SS50CS	16.0	2
SS65S	29.0	3
SS65CS	19.0	3
SS80S	34.5	3

REV		DESCRIPTION	DATE
NAME		DATE	
DRAWN	W.P	09/09/2025	
APV'D			
Tolerance	0 - 50mm	± 0.2mm	
	> 50 - 500mm	± 1mm	
	>1000mm	± 3mm	
Third Angle Projection			
Material: N/A			
WEIGHT: N/A			
SKU:			
TITLE:			
EnviroProtect® Anti-Climb 1.8m x 3.0			
High - 2.0m x 10M WIDE DOUBLE			
LEAF DIG IN KIT			
SCALE: N/A			
SHEET 1 OF 6			
REV			
A			
A3			



DROP BOLTS ARE TO BE FITTED WITH A M5x20 ONE-WAY PAN HEAD BOLT & M5 SHEAR NUT VIA 8 Ø HOLE TO PREVENT REMOVAL OF THE DROP BOLT

DROP BOLTS ARE USED TO HOLD THE GATE IN THE OPEN POSITION

TWO 26.9Øx 40mm GUIDES WELDED TO GATE FRAME

ALL GATES ABOVE 1200mm WIDE REQUIRE DROP BOLTS

700MM TO 1000MM IN GROUND DEPENDING ON HEIGHT OF GATE

DIG IN DOUBLE LEAF GATE INTERNAL VIEW OPENING 90° IN / OUT

650x300x300mm, GRADE C20/25 MINIMUM CONCRETE FOUNDATION


C20/25 MINIMUM CONCRETE FOUNDATION GRADE

DO NOT SCALE DRAWING

Notes:


1. All materials to be mild steel and conform to relevant British standards.
2. All items to be pre-galvanised to BS EN 10346 or hot dip galvanised to ISO 1461.
3. Items can be powder coated on request, powder coating to : BS EN 13438
4. installation via R.A.M.S

ALL GATES & POSTS ARE TO BE FITTED WITH BLACK PLASTIC INSERTS




ALL GATES WITH 80x80/100x100/120x120 BOX SECTION HINGE POSTS ARE TO BE FITTED WITH GALVANISED EYE BOLTS & M8x40mm SADDLE BOLT / SHEAR NUT

ALL GATES WITH 150x150 / 200x200 BOX SECTION HINGE POSTS ARE TO BE FITTED WITH GALVANISED EYE BOLTS & M8x40mm SADDLE BOLT / SHEAR NUT



FOR GATES TO BE COMPLIANT THEY MUST BE FITTED WITH ONE OF THE PADLOCKS BELOW

SHACKLE



Henry Squire & Son Padlocks List

Product Name	Shackle (mm)	Security Rating
SS50S	26.0	2
SS50CS	16.0	2
SS65S	29.0	3
SS65CS	19.0	3
SS80S	34.5	3


REV

DESCRIPTION

DATE


NAME	DATE
DRAWN W.P	09/09/2025
APV'D	

Tolerance	0 - 50mm	± 0.2mm
	> 50 - 500mm	± 1mm
	>1000mm	± 3mm



Material: N/A

WEIGHT: N/A



HIRE & SALES

SKU: EnviroProtect® Anti-Climb


TITLE: EnviroProtect® Anti-Climb 1.8m x 3.0 High - 2.0m x 10M WIDE DOUBLE LEAF KIT DRAWING

REV A A3

SCALE: N/A SHEET 3 OF 6

WHEN SIZE EXCEEDS CRIMPING MACHINE, TUBE TO BE FULLY WELDED INSIDE BOX SECTION

TUBING CRIMPED ON THE BOTTOM OF THE TOP RAIL AND TOP OF THE BOTTOM RAIL








Item	Component Name	Qty
1	EnviroProtect® Anti-Climb SLIDER GATE LEAF	1
2	EnviroProtect® Anti-Climb CATCH GATE LEAF	1
3	EnviroProtect® Anti-Climb DIG IN HINGE POST	2
4	SR1 EYEBOLT - M20x150MM - M25x200MM	6
5	80x80 - 200x200 BLACK RIBBED INSERTS	2
6	60x60 BLACK RIBBED INSERTS	4

DO NOT SCALE DRAWING

Notes:

1. All materials to be mild steel and conform to relevant British standards.
2. All items to be pre-galvanised to BS EN 10346 or hot dip galvanised to ISO 1461.
3. Items can be powder coated on request, powder coating to : BS EN 13438
4. installation via R.A.M.S



		REV	DESCRIPTION	DATE	
		<div> HIRE & SALES</div>			
NAME					DATE
DRAWN					W.P
APV'D					
Tolerance	0 - 50mm	± 0.2mm	SKU: EnviroProtect® Anti-Climb		
	> 50 - 500mm	± 1mm			
	>1000mm	± 3mm			
<div>Third Angle Projection</div>		TITLE:		REV	
Material: N/A		EnviroProtect® Anti-Climb 1.8m x 3.0 High - 2.0m x 10M WIDE DOUBLE LEAF KIT DRAWING		A A3	
WEIGHT: N/A		SCALE: N/A		SHEET 6 OF 6	