FirstFence®
HIRE & SALES

Timber Field Gates - Sawn Softwood

Specification Sheet

SPC-FIELD-001A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence®
HIRE & SALES

Timber Field Gates - Sawn Softwood

Specification Sheet

SPC-FIELD-001A

Traditional Rural Entrances, Durable Rural Access Solutions

Our Sawn Softwood Field Gates combine a classic open framework with rugged, practical performance for farms, paddocks, and rural properties. Made from rough-sawn softwood with traditional mortise and tenon joints, they feature UC4 pressure treatment to protect against rot, decay, and insect damage.

Compatible with standard agricultural fittings and capable of being hung from either side, these cost-effective gates suit pressure-treated timber posts and brick walls. Designed to endure exposed environments or accept suitable exterior wood oils and stains, they provide a reliable, long-lasting entrance for everyday countryside use.

Key Features

- UC4 Pressure Treated
  (Highly weather-resistant treatment ensures long service life)
- Rugged Softwood Construction
  (Built from rough-sawn softwood with mortise & tenon joints)
- Classic Open Framework
  (Traditional design to allow wind to pass through, reducing frame strain)
- Versatile Custom Sizing
  (Multiple standard widths with bespoke options on request)
- Cost-Effective Durability
  (A practical, affordable & low maintenance alternative to metal or hardwood)

Suitable For

- Field and Paddock Entrances
- Agricultural Driveways & Farm Tracks
- Livestock Enclosures
- Stable Yards & Equestrian Sites
- Rural Property Access



Images for illustration purposes only

Technical Specifications - Gate Only (posts & hardware sold separately)

PRODUCT	HEIGHT	WIDTH	MATERIAL	RAIL & BRACE
Sawn Softwood Timber Field Gate	1.2m	0.9m, 1.2m, 1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m, 3.3m, 3.6m, 3.9m, 4.2m, 4.5m	Sawn Softwood Tanalised UC4	5 Horizontal Rails Top Rail = 125x75mm > 75x75mm All rails and braces = 75x25mm Stiles: 125x75mm / 75x75mm

SAWN SOFTWOOD
Softwoods come from gymnosperm trees, such as conifers. They have needle-like leaves and are fast growing.
They are not soft!

TANALISED UC4
Each gate is made from pressure-treated softwood to UC4 standards, providing long-lasting resistance to moisture and decay.

MORTISE & TENON
A classic and durable joint where a projecting tongue (tenon) on the end of one piece fits tightly into a hole (mortise) cut into a second piece.

TRADITIONAL LOOK
The traditional agricultural style allows wind to pass through freely, reducing frame strain while keeping livestock secure.

TIMBER POSTS
This gate is compatible with sawn timber gate posts.

Metal gate posts are not suitable for this gate line.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Timber Field Gates - Sawn Softwood

Specification Sheet

SPC-FIELD-001A

Hardware and Posts

12” Adjustable Double Strap Hinge Kit


Best used with timber posts
Hinge Strap Size: 12” (300mm)
Hinge Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Kit includes: Top Band, Adjustable Gate Fitting, 13” Hook to Bolt, Hook to Drive and Fixing Bolts.

12” Adjustable Hook Plate Hinge Kit


Best used on brick walls
Hinge Size: 12” (300mm)
Hinge Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Kit includes: Top Band, Adjustable Gate Fitting, Hook on 4” x 4” Square Plates, and Fixing Bolts.

Spring Fastener Kit with Staple Catch

Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Spring-loaded mechanism for automatic gate closure, the staple catch offers a dependable locking point.



Kit includes: Spring Latch, Staple Catch, Keep, Fixing Bolt and Fixing Screws.

Self Locking Gate Catch Kit

Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Automatically engages when the gate is closed. Prevents accidental opening. Fast manual release.



Kit includes: Self Locking Latch, Striker Pin and Fixing Bolts

Drop Bolt for Ranch & Field Gates

Bolt Length: 300mm
Bolt Diameter: 16mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Ideal for larger timber gates



Gate Wheel

Load Capacity: 57kg
Size: 284mm
Wheel Size: 100mm
Maximum Spring Compression: 40mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Throwover Loop for Ranch & Field Gates

Length: 350mm (14”)
Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



2.4m Timber Gate Posts

These posts can be used as either catch or hinge posts.

Ideal for:

Supporting timber ranch and field gates in agricultural and equestrian settings.

Boundary, entrance, and livestock enclosure gates.

Farm driveways, access points, and paddock entrances.

Outdoor environments requiring strong, weather-resistant timber posts.

- Material: UC4 Tanalised Sawn Timber
- Height: 2400mm
- Width: 150x150mm, 175x175mm and 200x200mm



This is a Dig-In Only System

How Do I Make A Double Gate?

Simply purchase two gates, two hinge kits, two posts and a gate throwover loop. This will give you everything you need for a double gate.

Do Posts Come With The Gate?

Gate Posts are sold separately.

What If I Need A Different Size?

Custom sizes are available with an additional cost and lead time. Get in touch for details.

Do The Gates Come Pre-Drilled?

The gates are supplied constructed, any hardware and fixings holes will need to be drilled by the installer.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk