FirstFence®
HIRE & SALES

Timber Field Gates - PAR Meranti Hardwood

Specification Sheet

SPC-FIELD-003A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Timber Field Gates - PAR Meranti Hardwood

Specification Sheet

SPC-FIELD-003A

Premium Agricultural Style, Smooth-Surface Rural Solutions

Our PAR (Planed All Round) Meranti Hardwood Field Gates blend a classic open-frame design with a smooth, refined appearance. Made from high-quality, dense Meranti hardwood and pressure-treated to UC4 standards for superior weather resistance, they provide an elegant, durable entrance for farms, paddocks, and equestrian properties. Each gate is planed on all faces for a sleek, even surface ideal for field entrances, farm driveways, and landscaped property boundaries.

Available in multiple standard widths, with bespoke sizes on request, these stable, mortise-and-tenon jointed gates are designed specifically for use with timber posts and are not suitable for metal posts. Designed to develop their natural reddish-brown hue over time or accept regular maintenance with exterior wood oils or stains to preserve their colour.

Key Features

- Premium Meranti Timber Construction
  (Superior strength, rigidity and resistance to environmental wear)
- Smooth PAR Finish
  (Planed on all faces to provide a sleek, elegant and tactile surface)
- Robust Structural Integrity
  (Built with traditional mortise-and-tenon joints)
- Advanced Weather Resistance
  (Naturally resilient to moisture & decay, and also UC4 treated)
- Flexible Installation & Sizing
  (Multiple standard widths with bespoke sizing on request)

Suitable For

- Field and Paddock Entrances
- Agricultural and Equestrian Properties
- Farm Driveways and Rural Access Points
- Garden or Landscaped Property Boundaries
- High-Traffic Working Environments



Images for illustration purposes only

Technical Specifications - Gate Only (posts & hardware sold separately)

PRODUCT	HEIGHT	WIDTH	MATERIAL	RAIL & BRACE
PAR Meranti Hardwood Timber Field Gate	1.2m	0.9m, 1.2m, 1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m, 3.3m, 3.6m, 3.9m, 4.2m, 4.5m	PAR Meranti Hardwood Tanalised UC4	5 Horizontal Rails Top Rail = 125x75mm > 75x75mm All rails and braces = 75x25mm Stiles: 125x75mm / 75x75mm

PAR MERANTI HARDWOOD
Hardwoods come from angiosperms, with broad leaves that change colour and fall off in the autumn. Slow growing, with a denser, stronger timber.

TANALISED UC4
Each gate is made from pressure-treated hardwood to UC4 standards, providing long-lasting resistance to moisture and decay.

MORTISE & TENON
A classic and durable joint where a projecting tongue (tenon) on the end of one piece fits tightly into a hole (mortise) cut into a second piece.

TRADITIONAL LOOK
A classic open-rail design that provides excellent ventilation and visibility, making it ideal for everything from working agricultural fields to paddocks to driveways.

TIMBER POSTS
This gate is compatible with sawn timber gate posts.

Metal gate posts are not suitable for this gate line.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Timber Field Gates - PAR Meranti Hardwood

Specification Sheet

SPC-FIELD-003A

Hardware and Posts

12” Adjustable Double Strap Hinge Kit


Best used with timber posts
Hinge Strap Size: 12” (300mm)
Hinge Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Kit includes: Top Band, Adjustable Gate Fitting, 13” Hook to Bolt, Hook to Drive and Fixing Bolts.

12” Adjustable Hook Plate Hinge Kit


Best used on brick walls
Hinge Size: 12” (300mm)
Hinge Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Kit includes: Top Band, Adjustable Gate Fitting, Hook on 4” x 4” Square Plates, and Fixing Bolts.

Spring Fastener Kit with Staple Catch

Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Spring-loaded mechanism for automatic gate closure, the staple catch offers a dependable locking point.



Kit includes: Spring Latch, Staple Catch, Keep, Fixing Bolt and Fixing Screws.

Self Locking Gate Catch Kit

Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Automatically engages when the gate is closed. Prevents accidental opening. Fast manual release.



Kit includes: Self Locking Latch, Striker Pin and Fixing Bolts

Drop Bolt for Ranch & Field Gates

Bolt Length: 300mm
Bolt Diameter: 16mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Ideal for larger timber gates



Gate Wheel

Load Capacity: 57kg
Size: 284mm
Wheel Size: 100mm
Maximum Spring Compression: 40mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Throwover Loop for Ranch & Field Gates

Length: 350mm (14”)
Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



2.4m Timber Gate Posts

These posts can be used as either catch or hinge posts.

Ideal for:

Supporting timber ranch and field gates in agricultural and equestrian settings.

Boundary, entrance, and livestock enclosure gates.

Farm driveways, access points, and paddock entrances.

Outdoor environments requiring strong, weather-resistant timber posts.

- Material: UC4 Tanalised Sawn Timber
- Height: 2400mm
- Width: 150x150mm, 175x175mm and 200x200mm



This is a Dig-In Only System

How Do I Make A Double Gate?

Simply purchase two gates, two hinge kits, two posts and a gate throwover loop. This will give you everything you need for a double gate.

Do Posts Come With The Gate?

Gate Posts are sold separately.

What If I Need A Different Size?

Custom sizes are available with an additional cost and lead time. Get in touch for details.

Do The Gates Come Pre-Drilled?

The gates are supplied constructed, any hardware and fixings holes will need to be drilled by the installer.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk