FirstFence®
HIRE & SALES

Timber Field Gates - PAR Iroko Hardwood

Specification Sheet

SPC-FIELD-004A



Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Timber Field Gates - PAR Iroko Hardwood

Specification Sheet

SPC-FIELD-004A

Premium Hardwood Design, Resilient Access Solutions

Our PAR (Planed All Round) Iroko Hardwood Field Gates unite robust agricultural functionality with a beautifully refined aesthetic. Made from dense, premium Iroko hardwood, these gates are naturally rich in protective oils, offering exceptional resistance to moisture and decay for a remarkably long service life.

Planed on all sides for a smooth, splinter-free finish, they are ideal for high-end equestrian facilities, rural driveways, and agricultural entrances. Available in standard and custom widths, these mortise-and-tenon constructed gates are designed for use with timber posts or brick pillars. Left untreated, the wood develops a distinguished golden-brown patina, or it can be oiled to maintain its vibrant colour, ensuring a sophisticated entrance for any setting.

Key Features

- Natural Durability
  (Naturally dense and oily Iroko hardwood offers superb weather resistance)
- Refined, Smooth Finish
  (Planed on all faces (PAR) for a sleek, tactile surface with a premium look)
- Strong & Stable Construction
  (Tradition mortise and tenon joints ensure maximum rigidity)
- Low Maintenance
  (The natural oils protect against rot, moisture and insect damage)
- Customisable Sizing
  (Available in a variety of widths, with bespoke sizing available on request)

Suitable For

- Agricultural and Equestrian Entrances
- Residential Driveways
- Paddock and Field Boundaries
- Decorative Landscaping
- High-End Rural Access



Images for illustration purposes only

Technical Specifications - Gate Only (posts & hardware sold separately)

PRODUCT	HEIGHT	WIDTH	MATERIAL	RAIL & BRACE
PAR Iroko Hardwood Timber Field Gate	1.2m	0.9m, 1.2m, 1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m, 3.3m, 3.6m, 3.9m, 4.2m, 4.5m	PAR Iroko Hardwood	5 Horizontal Rails Top Rail = 125x75mm > 75x75mm All rails and braces = 75x25mm Stiles: 125x75mm / 75x75mm

PAR IROKO HARDWOOD
PAR Iroko hardwood is a durable, weather-resistant tropical timber frequently called 'African Teak'. Dense and hard wood that darkens to a rich golden brown colour.

LOW MAINTENANCE
The natural oils within Iroko protect it against rot, moisture and insect damage, meaning that minimal upkeep is needed over its lifetime.

MORTISE & TENON
A classic and durable joint where a projecting tongue (tenon) on the end of one piece fits tightly into a hole (mortise) cut into a second piece.

TRADITIONAL LOOK
A classic open-rail design that provides excellent ventilation and visibility, making it ideal for everything from working agricultural fields to paddocks to driveways.

TIMBER POSTS
This gate is compatible with sawn timber gate posts.

Metal gate posts are not suitable for this gate line.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk

FirstFence® HIRE & SALES

Timber Field Gates - PAR Iroko Hardwood

Specification Sheet

SPC-FIELD-004A

Hardware and Posts

12” Adjustable Double Strap Hinge Kit


Best used with timber posts
Hinge Strap Size: 12” (300mm)
Hinge Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Kit includes: Top Band, Adjustable Gate Fitting, 13” Hook to Bolt, Hook to Drive and Fixing Bolts.

12” Adjustable Hook Plate Hinge Kit


Best used on brick walls
Hinge Size: 12” (300mm)
Hinge Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Kit includes: Top Band, Adjustable Gate Fitting, Hook on 4” x 4” Square Plates, and Fixing Bolts.

Spring Fastener Kit with Staple Catch

Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Spring-loaded mechanism for automatic gate closure, the staple catch offers a dependable locking point.



Kit includes: Spring Latch, Staple Catch, Keep, Fixing Bolt and Fixing Screws.

Self Locking Gate Catch Kit

Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Automatically engages when the gate is closed. Prevents accidental opening. Fast manual release.



Kit includes: Self Locking Latch, Striker Pin and Fixing Bolts

Drop Bolt for Ranch & Field Gates

Bolt Length: 300mm
Bolt Diameter: 16mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates
Ideal for larger timber gates



Gate Wheel

Load Capacity: 57kg
Size: 284mm
Wheel Size: 100mm
Maximum Spring Compression: 40mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



Throwover Loop for Ranch & Field Gates

Length: 350mm (14”)
Width: 75mm
Material: Galvanised Steel
Compatible With: Timber Ranch & Field Gates



2.4m Timber Gate Posts

These posts can be used as either catch or hinge posts.

Ideal for:

Supporting timber ranch and field gates in agricultural and equestrian settings.

Boundary, entrance, and livestock enclosure gates.

Farm driveways, access points, and paddock entrances.

Outdoor environments requiring strong, weather-resistant timber posts.

- Material: UC4 Tanalised Sawn Timber
- Height: 2400mm
- Width: 150x150mm, 175x175mm and 200x200mm



This is a Dig-In Only System

How Do I Make A Double Gate?

Simply purchase two gates, two hinge kits, two posts and a gate throwover loop. This will give you everything you need for a double gate.

Do Posts Come With The Gate?

Gate Posts are sold separately.

What If I Need A Different Size?

Custom sizes are available with an additional cost and lead time. Get in touch for details.

Do The Gates Come Pre-Drilled?

The gates are supplied constructed, any hardware and fixings holes will need to be drilled by the installer.

Call our Expert Sales Team for more information.

First Fence Ltd | Kiln Way, Woodville, South Derbyshire, DE11 8EA
01283 512 111 | www.firstfence.co.uk | sales@firstfence.co.uk