



Call our Expert Sales Team for more information.

Unyielding strength, architectural authority!

Redefine your site's resilience and achieve the perfect synergy of formidable physical deterrence and absolute peace of mind with our PaliGuard[®] Steel Palisade Fencing. Designed for the developer or security professional who demands a proactive, impenetrable front-line, our steel profiles serve as the premier skeletal armour of a secure perimeter. Whether you are safeguarding a high-value industrial complex, a critical utility hub, or a commercial asset, our solutions are built to transform standard boundaries into defiant, high-security bastions. This fencing product line is BS 1722-12 Specification.

Key Features

- ☉ **Intimidating Visual Deterrence**
(Aggressive tops designed to be psychologically & physically off-putting)
- ☉ **Anti-Climb Properties**
(Lacks foot-holds, narrowly spaced pales prevent access)
- ☉ **High Impact Resistance**
(Cold-rolled steel pales offer structural rigidity)
- ☉ **Tamper-Proof Fastenings**
(Shear nuts cannot be undone with standard tools)
- ☉ **Universal Connectivity & Scaling**
(The fence can be raked to follow sloping or uneven ground)



Suitable For

- ☉ Critical Infrastructure & Utility Sites
- ☉ Industrial Estates & Warehousing
- ☉ Transport & Logistics Hubs
- ☉ Data Centres & R&D Facilities
- ☉ Educational & Public Sector Assets

Pale Head Profiles



Triple Point pales represent the height of high-security deterrence; the three-pronged crown is splayed to create a jagged, multi-directional barrier that makes scaling nearly impossible without specialised equipment.



Single Point pales are ideal for environments requiring a balance of security and a slightly more streamlined silhouette. They offer a focused, vertical deterrent that remains highly effective against climbing while maintaining a clean, uniform aesthetic.



Round and Notched pales are ideal for public-facing lower-risk perimeters; offering a formidable visual boundary while mitigating the risk of accidental injury, meeting safety needs without sacrificing the structural integrity of the steel.




Call our Expert Sales Team for more information.

PaliGuard[®] Security Fencing Kits

Our fencing kits are designed to provide a comprehensive, ready-to-deploy solution for any perimeter requirement. The kits are available in a wide range of heights, from standard 1.5m, 1.8m, 2.0m and 2.1m security heights, up to maximum security 2.4m and 3.0m barriers. Each bay measures 2750mm (post centre to post centre). This line is BS 1722-12 Specification.

Each kit is offered in a classic galvanised finish (BS EN ISO 1461:2009) for superior rust resistance and durability, or a polyester powder-coated version for a sleek professional appearance that can be matched to your corporate branding or surrounding landscape. The kits are available as a dig-in or bolt-down option and require assembly on site.



Security vs. Safety Performance Matrix

Pale Head Type	Security Rating	Safety Profile	Primary Recommendation
Triple Point	High	Sharp/High Risk	Critical infrastructure and high-threat zones
Single Point	Medium-High	Pointed/Moderate Risk	Industrial boundaries and high-value storage
Round & Notched	Medium	Blunted/Low Risk	Schools, retail parks and public-access areas



Available as galvanised or PPC Finish



Call our Expert Sales Team for more information.

PaliGuard[®] Palisade Fencing System Specifications


Feature	D Section Specification	W Section Specification
Standard Panel Width	2.75m	2.75m
Available System Heights	1.5m, 1.8m, 2.0m, 2.1m, 2.4m, 3.0m, 3.6m	1.5m, 1.8m, 2.0m, 2.1m, 2.4m, 3.0m, 3.6m
Pale Profiles	D Section	W Section
Pale Thickness	2.5mm to 3.0mm	2.5mm to 3.0mm
Pales per Panel	17	17
Pale Head Styles	Triple Point, Single Point, Round & Notched	Triple Point, Single Point, Round & Notched
Horizontal Rails	2x Galvanised (50mm x 50mm)	2x Galvanised (50mm x 50mm)
Post Sizes (RSJ)	100x55mm (up to 2.4m) / 127x76mm (3.0m+)	100x55mm (up to 2.4m) / 127x76mm (3.0m+)
Ground Clearance	50mm standard	50mm standard
Finish	Galvanised (Standard) or PPC	Galvanised (Standard) or PPC

Profile Type

W Profile



D Profile



The 'W' profile is the premium choice for high-security environments, engineered with a unique geometry that provides exceptional stiffness and lateral impact resistance. This design makes the pales incredibly difficult to bend or force, while the recessed fixing placement shields hardware from tampering and professional vandalism.

In contrast, the 'D' profile is tailored for medium-security applications, offering a more traditional aesthetic that integrates seamlessly into corporate or commercial landscapes. While it maintains the core security standards of BS 1722-12, it prioritises vertical strength and a less aggressive appearance for standard boundary protection.



Call our Expert Sales Team for more information.

PALI-GUARD-1110	1.8M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1120	1.8M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1130	1.8M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1140	1.8M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1150	1.8M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1160	1.8M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1170	1.8M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1180	1.8M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1750MM
PALI-GUARD-1210	2.0M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1220	2.0M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1230	2.0M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1240	2.0M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1250	2.0M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1260	2.0M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1270	2.0M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1280	2.0M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 1950MM
PALI-GUARD-1310	2.1M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1320	2.1M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1330	2.1M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1340	2.1M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1350	2.1M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1360	2.1M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1370	2.1M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1380	2.1M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2050MM
PALI-GUARD-1410	2.4M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1420	2.4M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1430	2.4M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1440	2.4M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1450	2.4M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1460	2.4M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1470	2.4M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1480	2.4M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2350MM
PALI-GUARD-1510	3.0M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1520	3.0M SINGLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1530	3.0M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1540	3.0M SINGLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1550	3.0M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1560	3.0M TRIPLE POINTED D SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1570	3.0M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 2.5MM ACTUAL HEIGHT 2950MM
PALI-GUARD-1580	3.0M TRIPLE POINTED W SECTION PALISADE GALVANISED PALE 3MM ACTUAL HEIGHT 2950MM



Call our Expert Sales Team for more information.

PALI-GUARD-FENCEKIT-15500	1.5M HIGH END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-18500	1.8M HIGH DIG IN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-20500	2.0M HIGH DIG IN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-21500	2.1M HIGH DIG IN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-24500	2.4M HIGH DIG IN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-30500	3.0M HIGH DIG IN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-36500	3.6M HIGH DIG IN END POST KIT FOR PALIGUARD FENCING - GALVANISED

ACCS-PALGD-0010	END HEAVY DUTY FISH PLATE FOR PALISADE FENCING
ACCS-PALGD-0020	STRAIGHT HEAVY DUTY FISHPLATE FOR PALISADE FENCING
ACCS-PALGD-0030	CORNER HEAVY DUTY FISH PLATE FOR PALISADE FENCING

PALI-GUARD-FENCEKIT-15510	1.5M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-18510	1.8M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-20510	2.0M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-21510	2.1M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-24510	2.4M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-30510	3.0M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED
PALI-GUARD-FENCEKIT-36510	3.6M HIGH BOLT DOWN END POST KIT FOR PALIGUARD FENCING - GALVANISED



Call our Expert Sales Team for more information.